

EXHIBIT E



US008601526B2

(12) **United States Patent**
Nishimura et al.

(10) **Patent No.:** **US 8,601,526 B2**
(45) **Date of Patent:** **Dec. 3, 2013**

(54) **SYSTEMS AND METHODS FOR DISPLAYING MEDIA CONTENT AND MEDIA GUIDANCE INFORMATION**

(75) Inventors: **Akitaka Nishimura**, Tokyo (JP); **Akio Yoshimoto**, Kanagawa (JP)

(73) Assignee: **United Video Properties, Inc.**, Los Angeles, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 249 days.

(21) Appl. No.: **12/144,434**

(22) Filed: **Jun. 23, 2008**

(65) **Prior Publication Data**

US 2009/0313658 A1 Dec. 17, 2009

Related U.S. Application Data

(60) Provisional application No. 61/061,185, filed on Jun. 13, 2008.

(51) **Int. Cl.**
H04N 5/445 (2011.01)
H04N 7/16 (2011.01)
H04N 7/173 (2011.01)

(52) **U.S. Cl.**
USPC **725/133; 725/43; 725/50; 725/62; 725/102; 725/153**

(58) **Field of Classification Search**
USPC 725/43, 50, 54, 55, 62, 102, 133, 141, 725/153; 348/384.1, 734, 739
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,264,924 A 4/1981 Freeman
4,264,925 A 4/1981 Freeman et al.

4,355,415 A 10/1982 George et al.
4,422,105 A 12/1983 Rodesch et al.
4,429,385 A 1/1984 Chichelli et al.
4,573,072 A 2/1986 Freeman
4,602,279 A 7/1986 Freeman
4,605,964 A 8/1986 Chard
4,625,080 A 11/1986 Scott

(Continued)

FOREIGN PATENT DOCUMENTS

DE 4431438 3/1996
DE 4440174 5/1996

(Continued)

OTHER PUBLICATIONS

U.S. Appl. No. 60/019,351, filed Jun. 6, 1996, Williams.

(Continued)


Primary Examiner — Kieu Oanh T Bui

(74) *Attorney, Agent, or Firm* — Ropes & Gray LLP

(57) **ABSTRACT**

A system comprises television equipment and a number of portable electronic devices. The television equipment includes a large display and control circuitry. The control circuitry receives media content and media guidance data for display on the display. The control circuitry also includes communication components for communicating with the portable electronic devices. The portable electronic devices are operable for displaying video and communicating with the television equipment. A method comprises the steps of receiving media guidance information with a first portable electronic device; transmitting at least some of the media guidance information from the first portable electronic device to the control circuitry of the television equipment; and displaying the media guidance information from the first portable electronic device on the display of the television equipment while simultaneously displaying media content or media guidance information received from a source other than the first portable electronic device.

33 Claims, 10 Drawing Sheets



US 8,601,526 B2

Page 2

(56)

References Cited

U.S. PATENT DOCUMENTS

4,630,108 A	12/1986	Gomersall	5,455,570 A	10/1995	Cook et al.
4,694,490 A	9/1987	Harvey et al.	5,459,522 A	10/1995	Pint
4,706,121 A	11/1987	Young	5,465,113 A	11/1995	Gilboy
4,718,107 A	1/1988	Hayes	5,469,206 A	11/1995	Strubbe et al.
4,751,578 A	6/1988	Reiter	5,477,262 A	12/1995	Banker et al.
4,761,684 A	8/1988	Clark et al.	5,479,266 A	12/1995	Young et al.
4,787,063 A	11/1988	Muguet	5,479,268 A	12/1995	Young et al.
4,841,562 A	6/1989	Lem	5,479,497 A	12/1995	Kovarik
4,847,698 A	7/1989	Freeman	5,481,296 A	1/1996	Cragun et al.
4,847,700 A	7/1989	Freeman	5,483,278 A	1/1996	Strubbe et al.
4,857,999 A	8/1989	Welsh	5,485,197 A	1/1996	Hoarty
4,866,434 A	9/1989	Keenan	5,485,219 A	1/1996	Woo et al.
4,899,370 A	2/1990	Kameo et al.	5,485,221 A	1/1996	Banker et al.
4,908,707 A	3/1990	Kinghorn	5,502,504 A	3/1996	Marshall et al.
4,930,158 A	5/1990	Vogel	5,509,908 A	4/1996	Hillstead et al.
4,945,563 A	7/1990	Horton et al.	5,517,256 A	5/1996	Hashimoto et al.
4,959,720 A	9/1990	Duffield et al.	5,517,257 A	5/1996	Dunn et al.
4,965,825 A	10/1990	Harvey et al.	5,523,796 A	6/1996	Marshall et al.
4,977,455 A	12/1990	Young	5,524,195 A	6/1996	Clanton, III et al.
4,994,908 A	2/1991	Kuban et al.	5,526,034 A	6/1996	Hoarty et al.
5,001,554 A	3/1991	Johnson et al.	5,528,304 A	6/1996	Cherrick et al.
5,016,273 A	5/1991	Hoff	5,532,754 A	7/1996	Young et al.
5,036,314 A	7/1991	Barillari et al.	5,534,911 A	7/1996	Levitan
5,038,211 A	8/1991	Hallenbeck	5,537,141 A	7/1996	Harper et al.
5,047,867 A	9/1991	Strubbe et al.	5,539,449 A	7/1996	Blahut et al.
5,068,733 A	11/1991	Bennett	5,539,822 A	7/1996	Lett
5,089,885 A	2/1992	Clark	5,541,662 A	7/1996	Adams et al.
5,105,184 A	4/1992	Pirani et al.	5,543,856 A	8/1996	Rosser et al.
5,109,279 A	4/1992	Ando	5,550,576 A	8/1996	Klosterman
5,113,259 A	5/1992	Romesburg et al.	5,550,863 A	8/1996	Yurt et al.
5,132,992 A	7/1992	Yurt et al.	5,553,123 A	9/1996	Chan et al.
5,134,649 A	7/1992	Gutzmer	5,557,338 A	9/1996	Maze et al.
5,134,719 A	7/1992	Mankovitz	5,557,724 A	9/1996	Sampat et al.
5,151,789 A	9/1992	Young	5,559,548 A	9/1996	Davis et al.
5,155,591 A	10/1992	Wachob	5,559,549 A	9/1996	Hendricks et al.
5,168,353 A	12/1992	Walker et al.	5,559,550 A	9/1996	Mankovitz
5,172,413 A	12/1992	Bradley et al.	5,568,272 A	10/1996	Levine
5,179,439 A	1/1993	Hashimoto	5,570,295 A	10/1996	Isenburg et al.
5,187,589 A	2/1993	Kono et al.	5,572,442 A	11/1996	Schulhof et al.
5,195,134 A	3/1993	Inoue et al.	5,576,755 A	11/1996	Davis et al.
5,200,822 A	4/1993	Bronfin et al.	5,579,239 A	11/1996	Freeman et al.
5,202,915 A	4/1993	Nishii	5,583,560 A	12/1996	Florin et al.
5,210,611 A	5/1993	Yee et al.	5,583,561 A	12/1996	Baker et al.
5,216,228 A	6/1993	Hashimoto	5,583,563 A	12/1996	Wanderscheid et al.
5,223,924 A	6/1993	Strubbe et al.	5,583,653 A	12/1996	Timmermans et al.
5,225,902 A	7/1993	McMullan, Jr. et al.	5,585,838 A	12/1996	Lawler et al.
5,228,077 A	7/1993	Darbee	5,585,858 A	12/1996	Harper et al.
5,233,423 A	8/1993	Jernigan et al.	5,585,865 A	12/1996	Amano et al.
5,239,654 A	8/1993	Ing-Simmons et al.	5,585,866 A	12/1996	Miller et al.
5,241,428 A	8/1993	Goldwasser et al.	5,589,892 A	12/1996	Knee et al.
5,249,043 A	9/1993	Grandmougin et al.	5,592,482 A	1/1997	Abraham
5,253,066 A	10/1993	Vogel	5,592,551 A	1/1997	Lett et al.
5,253,275 A	10/1993	Yurt et al.	5,594,509 A	1/1997	Florin et al.
5,283,560 A	2/1994	Bartlett et al.	5,596,373 A	1/1997	White et al.
5,285,284 A	2/1994	Takashima et al.	5,600,364 A	2/1997	Hendricks et al.
5,296,931 A	3/1994	Na et al.	5,602,582 A	2/1997	Wanderscheid et al.
5,307,173 A	4/1994	Yuen et al.	5,606,374 A	2/1997	Bertram
5,319,445 A	6/1994	Fitts	5,606,726 A	2/1997	Yoshinobu
5,323,234 A	6/1994	Kawasaki et al.	5,610,653 A	3/1997	Abecassis
5,325,183 A	6/1994	Rhee et al.	5,617,526 A	4/1997	Oran et al.
5,335,079 A	8/1994	Yuen et al.	5,619,247 A	4/1997	Russo
5,335,277 A	8/1994	Harvey et al.	5,619,249 A	4/1997	Billock et al.
5,353,121 A	10/1994	Young et al.	5,619,274 A	4/1997	Roop et al.
5,359,367 A	10/1994	Stockill et al.	5,621,456 A	4/1997	Florin et al.
5,371,551 A	12/1994	Logan et al.	5,623,613 A	4/1997	Rowe et al.
5,377,317 A	12/1994	Bates et al.	5,625,406 A	4/1997	Newberry et al.
5,382,983 A	1/1995	Kwoh et al.	5,625,464 A	4/1997	Compoint
5,398,074 A	3/1995	Duffield et al.	5,629,733 A	5/1997	Youman et al.
5,410,326 A	4/1995	Goldstein	5,630,119 A	5/1997	Aristides et al.
5,410,344 A	4/1995	Graves et al.	5,631,995 A	5/1997	Weissensteiner et al.
5,412,720 A	5/1995	Hoarty	5,632,007 A	5/1997	Freeman
5,414,756 A	5/1995	Levine	5,635,978 A	6/1997	Alten et al.
5,416,508 A	5/1995	Sakuma et al.	5,635,979 A	6/1997	Kostreski et al.
5,440,678 A	8/1995	Eisen et al.	5,635,989 A	6/1997	Rothmuller
5,442,389 A	8/1995	Blahut et al.	5,640,484 A	6/1997	Mankovitz
			5,646,603 A	7/1997	Nagata
			5,648,824 A	7/1997	Dunn et al.
			5,650,826 A	7/1997	Eitz et al.
			5,650,831 A	7/1997	Farwell

US 8,601,526 B2

Page 3

(56)

References Cited

U.S. PATENT DOCUMENTS

5,652,613 A	7/1997	Lazarus et al.	5,812,205 A	9/1998	Milnes et al.
5,652,615 A	7/1997	Bryant et al.	5,812,930 A	9/1998	Zavrel
5,654,748 A	8/1997	Matthews et al.	5,812,931 A	9/1998	Yuen
5,654,886 A	8/1997	Zereski, Jr. et al.	5,812,937 A	9/1998	Takahisa et al.
5,655,214 A	8/1997	Mullett et al.	5,818,438 A	10/1998	Howe et al.
5,657,072 A	8/1997	Aristides et al.	5,818,441 A	10/1998	Throckmorton et al.
5,657,414 A	8/1997	Lett et al.	5,819,019 A	10/1998	Nelson
5,659,350 A	8/1997	Hendricks et al.	5,819,156 A	10/1998	Belmont
5,659,367 A	8/1997	Yuen	5,822,123 A	10/1998	Davis et al.
5,661,516 A	8/1997	Carles	5,822,606 A	10/1998	Morton
5,666,293 A	9/1997	Metz et al.	5,828,420 A	10/1998	Marshall et al.
5,666,498 A	9/1997	Amro	5,828,945 A	10/1998	Klosterman
5,666,645 A	9/1997	Thomas et al.	RE35,954 E	11/1998	Levine
5,673,089 A	9/1997	Yuen et al.	5,838,314 A	11/1998	Neel et al.
5,675,390 A	10/1997	Schindler et al.	5,844,620 A *	12/1998	Coleman et al. 725/54
5,682,206 A	10/1997	Wehmeyer et al.	5,846,704 A	12/1998	Maertens et al.
5,684,525 A	11/1997	Klosterman	5,850,218 A	12/1998	LaJoie et al.
5,686,954 A	11/1997	Yoshinobu et al.	5,852,437 A	12/1998	Wugofski et al.
5,689,666 A	11/1997	Berquist et al.	5,858,866 A	1/1999	Berry et al.
5,692,214 A	11/1997	Levine	5,861,881 A	1/1999	Freeman et al.
5,694,163 A	12/1997	Harrison	5,864,704 A	1/1999	Battle et al.
5,694,381 A	12/1997	Sako et al.	5,867,223 A	2/1999	Schindler et al.
5,696,824 A	12/1997	Walsh	5,867,233 A	2/1999	Tanaka et al.
5,699,052 A	12/1997	Miyahara	5,867,799 A	2/1999	Lang et al.
5,699,107 A	12/1997	Lawler et al.	5,878,222 A	3/1999	Harrison
5,710,601 A	1/1998	Marshall et al.	5,880,768 A	3/1999	Lemmons et al.
5,710,605 A	1/1998	Nelson	5,883,621 A	3/1999	Iwamura
5,710,884 A	1/1998	Dedrick	5,884,298 A	3/1999	Smith, II et al.
5,715,020 A	2/1998	Kuroiwa et al.	5,886,732 A	3/1999	Humpleman
5,717,452 A	2/1998	Janin et al.	5,886,746 A	3/1999	Yuen et al.
5,724,091 A	3/1998	Freeman et al.	5,901,366 A	5/1999	Nakano et al.
5,727,060 A	3/1998	Young	5,907,322 A	5/1999	Kelly
5,734,720 A	3/1998	Salganicoff	5,907,323 A	5/1999	Lawler et al.
5,734,853 A	3/1998	Hendricks et al.	5,914,746 A	6/1999	Matthews, III et al.
5,734,893 A	3/1998	Li et al.	5,915,068 A	6/1999	Levine
5,742,905 A	4/1998	Pepe et al.	5,917,405 A	6/1999	Joao
5,745,710 A	4/1998	Clanton, III et al.	5,926,624 A	7/1999	Katz et al.
5,748,191 A	5/1998	Rozak et al.	5,929,849 A	7/1999	Kikinis
5,748,716 A	5/1998	Levine	5,940,387 A	8/1999	Humpleman
5,748,732 A	5/1998	Le Berre et al.	5,940,572 A	8/1999	Balaban et al.
5,751,282 A	5/1998	Girard et al.	5,945,988 A	8/1999	Williams et al.
5,752,159 A	5/1998	Faust et al.	5,956,025 A	9/1999	Goulden et al.
5,754,771 A	5/1998	Epperson et al.	5,959,592 A	9/1999	Petruzzelli
5,754,938 A	5/1998	Herz et al.	5,963,264 A	10/1999	Jackson
5,758,257 A	5/1998	Herz et al.	5,963,645 A	10/1999	Kigawa et al.
5,758,259 A	5/1998	Lawler	5,969,748 A	10/1999	Casement et al.
5,760,821 A	6/1998	Ellis et al.	5,970,473 A	10/1999	Gerszberg et al.
5,761,662 A	6/1998	Dasan	5,973,683 A	10/1999	Cragun et al.
5,768,528 A	6/1998	Stumm	5,977,964 A	11/1999	Williams et al.
5,771,275 A	6/1998	Brunner et al.	5,982,411 A	11/1999	Eyer et al.
5,774,539 A	6/1998	Maab	5,986,650 A	11/1999	Ellis et al.
5,774,664 A	6/1998	Hidary et al.	5,987,509 A	11/1999	Portuesi
5,774,666 A	6/1998	Portuesi	5,988,078 A	11/1999	Levine
5,774,859 A	6/1998	Houser et al.	5,990,885 A	11/1999	Gopinath
5,778,182 A	7/1998	Cathey et al.	5,991,799 A	11/1999	Yen et al.
5,781,226 A	7/1998	Sheehan	5,991,832 A	11/1999	Sato et al.
5,781,246 A	7/1998	Alten et al.	6,002,394 A	12/1999	Schein et al.
5,787,259 A	7/1998	Haroun et al.	6,002,450 A	12/1999	Darbee et al.
5,788,507 A	8/1998	Redford et al.	6,005,561 A	12/1999	Hawkins et al.
5,790,198 A	8/1998	Roop et al.	6,005,565 A	12/1999	Legall et al.
5,790,202 A	8/1998	Kummer et al.	6,005,631 A	12/1999	Anderson et al.
5,793,964 A	8/1998	Rogers et al.	6,006,257 A	12/1999	Slezak
5,796,952 A	8/1998	Davis et al.	6,009,153 A	12/1999	Houghton et al.
5,798,785 A	8/1998	Hendricks et al.	6,009,465 A	12/1999	Decker et al.
5,801,787 A	9/1998	Schein et al.	6,012,086 A	1/2000	Lowell
5,802,284 A	9/1998	Karlton et al.	6,014,184 A	1/2000	Knee et al.
5,805,155 A	9/1998	Allibhoy et al.	6,016,141 A	1/2000	Knudson et al.
5,805,204 A	9/1998	Thompson et al.	6,020,880 A	2/2000	Naimpally
5,805,763 A	9/1998	Lawler et al.	6,020,883 A	2/2000	Herz et al.
5,805,804 A	9/1998	Laursen et al.	6,025,837 A	2/2000	Matthews, III et al.
5,805,806 A	9/1998	McArthur	6,025,869 A	2/2000	Stas et al.
5,808,608 A	9/1998	Young et al.	6,035,339 A	3/2000	Agraharam et al.
5,808,694 A	9/1998	Usui et al.	6,038,367 A	3/2000	Abecassis
5,809,204 A	9/1998	Young et al.	6,040,829 A	3/2000	Croy et al.
5,812,123 A	9/1998	Rowe et al.	6,049,823 A	4/2000	Hwang
			6,057,872 A	5/2000	Candelore
			6,057,890 A	5/2000	Virden et al.
			6,058,238 A	5/2000	Ng
			6,061,779 A	5/2000	Garde

US 8,601,526 B2

Page 4

(56)

References Cited

U.S. PATENT DOCUMENTS

6,064,980 A	5/2000	Jacobi et al.	6,522,342 B1	2/2003	Gagnon et al.
6,067,564 A	5/2000	Urakoshi et al.	6,530,083 B1	3/2003	Liebenow
6,075,568 A	6/2000	Matsuura	6,536,041 B1	3/2003	Knudson et al.
6,091,884 A	7/2000	Yuen et al.	6,545,722 B1	4/2003	Schultheiss et al.
6,097,441 A	8/2000	Allport	6,557,031 B1	4/2003	Mimura et al.
6,104,334 A	8/2000	Allport	6,564,378 B1	5/2003	Satterfield
6,130,726 A	10/2000	Darbee et al.	6,564,383 B1	5/2003	Combs et al.
6,133,910 A	10/2000	Stinebruner	6,571,279 B1	5/2003	Herz et al.
6,133,912 A	10/2000	Montero	6,603,488 B2	8/2003	Humpleman et al.
6,141,488 A	10/2000	Knudson et al.	6,611,654 B1	8/2003	Shteyn
6,144,401 A	11/2000	Casement et al.	6,614,987 B1	9/2003	Ismail et al.
6,144,702 A	11/2000	Yurt et al.	6,622,304 B1	9/2003	Carhart
6,157,411 A	12/2000	Williams et al.	6,651,253 B2	11/2003	Dudkiewicz et al.
6,157,413 A	12/2000	Hanafee et al.	6,670,971 B1	12/2003	Oral et al.
6,160,988 A	12/2000	Shroyer	6,675,385 B1	1/2004	Wang
6,163,316 A	12/2000	Killian	6,701,523 B1	3/2004	Hancock et al.
6,167,188 A	12/2000	Young et al.	6,704,028 B2	3/2004	Wugofski
6,169,543 B1	1/2001	Wehmeyer	6,721,954 B1	4/2004	Nickum
6,172,674 B1	1/2001	Etheredge	6,727,914 B1	4/2004	Gutta
6,172,677 B1	1/2001	Stautner et al.	6,732,372 B2	5/2004	Tomita et al.
6,177,931 B1	1/2001	Alexander et al.	6,738,978 B1	5/2004	Hendricks et al.
6,182,094 B1	1/2001	Humpleman et al.	6,744,967 B2	6/2004	Kaminski et al.
6,188,381 B1	2/2001	van der Wal et al.	6,756,997 B1	6/2004	Ward, III et al.
6,188,397 B1	2/2001	Humpleman	6,760,412 B1	7/2004	Loucks
6,192,340 B1	2/2001	Abecassis	6,760,537 B2	7/2004	Mankovitz
6,202,211 B1	3/2001	Williams, Jr.	6,772,433 B1	8/2004	LaJoie et al.
6,208,335 B1	3/2001	Gordon et al.	6,788,882 B1	9/2004	Geer et al.
6,208,384 B1	3/2001	Schultheiss	6,813,775 B1	11/2004	Finseth et al.
6,208,799 B1	3/2001	Marsh et al.	6,813,777 B1	11/2004	Weinberger et al.
6,212,327 B1	4/2001	Berstis	6,822,661 B2	11/2004	Sai et al.
6,219,839 B1	4/2001	Sampsell	6,837,789 B2	1/2005	Garahi et al.
6,226,444 B1	5/2001	Goldschmidt et al.	6,847,686 B2	1/2005	Morad et al.
6,226,618 B1	5/2001	Downs et al.	6,868,225 B1	3/2005	Brown et al.
6,233,389 B1	5/2001	Barton et al.	6,871,146 B1	3/2005	Kelly et al.
6,233,734 B1	5/2001	Macrae et al.	6,871,186 B1	3/2005	Tuzhilin et al.
6,237,049 B1	5/2001	Ludtke	6,897,904 B2	5/2005	Potrebic et al.
6,239,794 B1	5/2001	Yuen et al.	6,925,567 B1	8/2005	Hirata et al.
6,240,555 B1	5/2001	Shoff et al.	6,927,806 B2	8/2005	Chan
6,260,088 B1	7/2001	Gove et al.	6,934,964 B1	8/2005	Schaffer et al.
6,263,501 B1	7/2001	Schein et al.	6,950,624 B2	9/2005	Kim et al.
6,263,503 B1 *	7/2001	Margulis 725/81	6,973,669 B2	12/2005	Daniels
6,263,507 B1	7/2001	Ahmad et al.	7,003,791 B2	2/2006	Mizutani
6,268,849 B1	7/2001	Boyer et al.	7,006,881 B1	2/2006	Hoffberg et al.
6,275,648 B1	8/2001	Knudson et al.	7,013,339 B2	3/2006	Schwager et al.
6,286,142 B1	9/2001	Ehreth	7,013,478 B1	3/2006	Hendricks et al.
6,288,716 B1	9/2001	Humpleman et al.	7,017,171 B1	3/2006	Horlander et al.
6,292,624 B1	9/2001	Saib et al.	7,020,704 B1	3/2006	Lipscomb et al.
6,298,482 B1	10/2001	Seidman et al.	7,051,353 B2	5/2006	Yamashita et al.
6,305,018 B1	10/2001	Usui et al.	7,055,166 B1	5/2006	Logan et al.
6,310,886 B1	10/2001	Barton	7,084,780 B2	8/2006	Nguyen et al.
6,311,011 B1	10/2001	Kuroda et al.	7,088,952 B1	8/2006	Saito et al.
6,317,884 B1	11/2001	Eames et al.	7,096,486 B1	8/2006	Ukai et al.
6,321,318 B1	11/2001	Baltz et al.	7,117,518 B1	10/2006	Takahashi et al.
6,324,338 B1	11/2001	Wood et al.	7,134,130 B1	11/2006	Thomas
6,326,982 B1	12/2001	Wu et al.	7,134,131 B1	11/2006	Hendricks et al.
6,327,418 B1	12/2001	Barton	7,152,236 B1	12/2006	Wugofski et al.
6,331,877 B1	12/2001	Bennington et al.	7,165,098 B1	1/2007	Boyer et al.
6,336,099 B1	1/2002	Barnett et al.	7,194,755 B1	3/2007	Nakata et al.
6,354,378 B1	3/2002	Patel	7,200,852 B1	4/2007	Block
6,357,043 B1	3/2002	Ellis et al.	7,206,892 B2	4/2007	Kim et al.
6,367,080 B1	4/2002	Enomoto et al.	7,213,089 B2	5/2007	Hatakenaka
6,374,406 B2	4/2002	Hirata	7,224,886 B2	5/2007	Akamatsu et al.
6,388,714 B1	5/2002	Schein et al.	7,224,889 B2	5/2007	Takasu et al.
6,396,544 B1	5/2002	Schindler et al.	7,268,833 B2	9/2007	Park et al.
6,397,080 B1	5/2002	Viktorsson et al.	7,296,284 B1	11/2007	Price et al.
6,418,556 B1	7/2002	Bennington et al.	7,328,450 B2	2/2008	Macrae et al.
6,437,836 B1	8/2002	Huang et al.	7,343,616 B1	3/2008	Takahashi et al.
6,442,332 B1	8/2002	Knudson et al.	7,386,871 B1	6/2008	Knudson et al.
6,445,398 B1	9/2002	Gerba et al.	7,428,744 B1	9/2008	Ritter et al.
6,463,585 B1	10/2002	Hendricks et al.	7,458,093 B2	11/2008	Dukes et al.
6,473,559 B1	10/2002	Knudson et al.	7,480,929 B2	1/2009	Klosterman et al.
6,486,892 B1	11/2002	Stern	7,518,503 B2	4/2009	Peele
6,493,875 B1	12/2002	Eames et al.	7,603,685 B2	10/2009	Knudson et al.
6,505,348 B1	1/2003	Knowles et al.	7,689,556 B2	3/2010	Garg et al.
6,509,908 B1	1/2003	Croy et al.	7,783,632 B2	8/2010	Richardson et al.
			7,852,416 B2	12/2010	Bennett et al.
			8,060,399 B2	11/2011	Ullah
			8,104,066 B2	1/2012	Colsey et al.
			8,122,491 B2	2/2012	Yee

US 8,601,526 B2

Page 5

(56)

References Cited

U.S. PATENT DOCUMENTS

8,266,666	B2	9/2012	Friedmann	2005/0204388	A1	9/2005	Knudson et al.
8,331,987	B2	12/2012	Rosenblatt	2005/0240962	A1	10/2005	Cooper
2001/0026533	A1	10/2001	Schwager	2005/0251822	A1	11/2005	Knowles et al.
2002/0013941	A1	1/2002	Ward, III et al.	2005/0251827	A1	11/2005	Ellis et al.
2002/0032907	A1	3/2002	Daniels	2005/0259963	A1	11/2005	Sano et al.
2002/0040475	A1	4/2002	Yap et al.	2005/0265169	A1	12/2005	Yoshimaru et al.
2002/0056087	A1	5/2002	Berezowski et al.	2005/0278741	A1	12/2005	Robarts et al.
2002/0056119	A1	5/2002	Moynihan	2006/0026635	A1	2/2006	Potrebic et al.
2002/0057892	A1	5/2002	Mano et al.	2006/0026665	A1	2/2006	Rodriguez et al.
2002/0059599	A1	5/2002	Schein et al.	2006/0031883	A1	2/2006	Ellis et al.
2002/0059610	A1	5/2002	Ellis	2006/0053449	A1	3/2006	Gutta
2002/0075402	A1	6/2002	Robson et al.	2006/0085825	A1	4/2006	Istvan et al.
2002/0078453	A1	6/2002	Kuo	2006/0098221	A1	5/2006	Ferlitsch
2002/0090203	A1	7/2002	Mankovitz	2006/0101492	A1	5/2006	Lowcock
2002/0095673	A1	7/2002	Leung et al.	2006/0112410	A1	5/2006	Poli et al.
2002/0100044	A1	7/2002	Daniels	2006/0136966	A1	6/2006	Folk
2002/0100052	A1	7/2002	Daniels	2006/0190978	A1	8/2006	Russ et al.
2002/0118676	A1	8/2002	Tonnby et al.	2006/0218573	A1	9/2006	Proebstel
2002/0129368	A1	9/2002	Schlack et al.	2006/0218604	A1	9/2006	Riedl et al.
2002/0157099	A1	10/2002	Schrader et al.	2006/0253874	A1	11/2006	Stark et al.
2002/0165751	A1	11/2002	Upadhy	2006/0263758	A1	11/2006	Crutchfield et al.
2002/0165770	A1	11/2002	Khoo et al.	2006/0265427	A1 *	11/2006	Cohen et al. 707/200
2002/0174424	A1	11/2002	Chang et al.	2006/0294574	A1	12/2006	Cha
2002/0174430	A1	11/2002	Ellis et al.	2007/0033607	A1	2/2007	Bryan
2002/0184626	A1	12/2002	Darbee et al.	2007/0036303	A1	2/2007	Lee et al.
2002/0194586	A1	12/2002	Gutta et al.	2007/0055989	A1	3/2007	Shanks et al.
2002/0194596	A1	12/2002	Srivastava	2007/0074245	A1	3/2007	Nyako et al.
2002/0194600	A1	12/2002	Ellis et al.	2007/0076665	A1	4/2007	Nair et al.
2003/0005440	A1	1/2003	Axelsson et al.	2007/0089132	A1	4/2007	Qureshey et al.
2003/0005445	A1	1/2003	Schein et al.	2007/0130089	A1	6/2007	Chiu
2003/0012555	A1	1/2003	Yuen et al.	2007/0130283	A1	6/2007	Kelin et al.
2003/0031465	A1	2/2003	Blake	2007/0157240	A1	7/2007	Walker
2003/0037336	A1	2/2003	Leftwich	2007/0157242	A1	7/2007	Cordray et al.
2003/0040962	A1	2/2003	Lewis	2007/0161402	A1	7/2007	Ng et al.
2003/0066085	A1	4/2003	Boyer et al.	2007/0162850	A1	7/2007	Adler et al.
2003/0070177	A1	4/2003	Kondo et al.	2007/0186240	A1	8/2007	Ward et al.
2003/0079227	A1	4/2003	Knowles et al.	2007/0204308	A1	8/2007	Nicholas et al.
2003/0084461	A1	5/2003	Hoang	2007/0214489	A1	9/2007	Kwong et al.
2003/0093329	A1	5/2003	Gutta	2008/0010655	A1	1/2008	Ellis et al.
2003/0093803	A1	5/2003	Ishikawa et al.	2008/0013429	A1	1/2008	Chen et al.
2003/0110499	A1	6/2003	Knudson et al.	2008/0046930	A1	2/2008	Smith et al.
2003/0131356	A1	7/2003	Proehl et al.	2008/0046935	A1	2/2008	Krakirian
2003/0149621	A1	8/2003	Shteyn	2008/0074546	A1	3/2008	Almoumen
2003/0159157	A1	8/2003	Chan	2008/0077965	A1	3/2008	Kamimaki et al.
2003/0163813	A1	8/2003	Klosterman et al.	2008/0127253	A1	5/2008	Zhang et al.
2003/0164858	A1	9/2003	Klosterman et al.	2008/0134256	A1	6/2008	DaCosta
2003/0188310	A1	10/2003	Klosterman et al.	2008/0155585	A1 *	6/2008	Craner et al. 725/32
2003/0188311	A1	10/2003	Yuen et al.	2008/0184294	A1	7/2008	Lemmons et al.
2003/0196201	A1	10/2003	Schein et al.	2008/0184304	A1	7/2008	Ellis et al.
2003/0198462	A1	10/2003	Bumgardner et al.	2008/0184313	A1	7/2008	Knudson et al.
2003/0208756	A1	11/2003	Macrae et al.	2008/0184322	A1	7/2008	Blake
2003/0229900	A1	12/2003	Reisman	2008/0189742	A1	8/2008	Ellis et al.
2003/0237093	A1	12/2003	Marsh	2008/0189743	A1	8/2008	Ellis et al.
2004/0031050	A1	2/2004	Klosterman	2008/0196068	A1	8/2008	Tseng
2004/0064835	A1	4/2004	Bellwood et al.	2008/0263600	A1	10/2008	Olague et al.
2004/0070491	A1	4/2004	Huang et al.	2008/0282288	A1	11/2008	Heo
2004/0097246	A1	5/2004	Welch	2008/0300985	A1	12/2008	Shamp et al.
2004/0098744	A1	5/2004	Gutta	2008/0301729	A1	12/2008	Broos et al.
2004/0103434	A1	5/2004	Ellis	2009/0044226	A1	2/2009	Ellis et al.
2004/0103439	A1	5/2004	Macrae et al.	2009/0125971	A1	5/2009	Belz et al.
2004/0117831	A1	6/2004	Ellis et al.	2009/0165046	A1	6/2009	Stallings
2004/0158855	A1	8/2004	Gu	2009/0183208	A1	7/2009	Christensen et al.
2004/0177370	A1	9/2004	Dudkiewicz	2009/0210898	A1	8/2009	Childress et al.
2004/0194138	A1	9/2004	Boylan et al.	2009/0217335	A1	8/2009	Wong et al.
2004/0210926	A1	10/2004	Francis et al.	2009/0241144	A1	9/2009	LaJoie et al.
2004/0210932	A1	10/2004	Mori et al.	2009/0249391	A1	10/2009	Klein et al.
2004/0268403	A1 *	12/2004	Krieger et al. 725/112	2009/0288132	A1	11/2009	Hedge
2005/0015804	A1	1/2005	LaJoie et al.	2010/0053458	A1	3/2010	Anglin et al.
2005/0028208	A1	2/2005	Ellis et al.	2010/0107194	A1	4/2010	McKissick et al.
2005/0028218	A1	2/2005	Blake	2010/0146445	A1	6/2010	Kraut
2005/0120003	A1	6/2005	Drury et al.	2010/0146560	A1	6/2010	Bonfrer
2005/0120373	A1	6/2005	Thomas et al.	2010/0146573	A1	6/2010	Richardson
2005/0138660	A1	6/2005	Boyer et al.	2010/0169072	A1	7/2010	Zaki et al.
2005/0160461	A1	7/2005	Baumgartner et al.	2010/0199313	A1	8/2010	Rhim
2005/0193414	A1	9/2005	Horvitz et al.	2010/0310234	A1	12/2010	Sigvaldason
				2011/0029922	A1	2/2011	Hoffberg et al.
				2011/0069940	A1	3/2011	Shimy et al.
				2011/0070819	A1	3/2011	Shimy et al.
				2011/0072452	A1	3/2011	Shimy et al.

US 8,601,526 B2

Page 6

(56)	References Cited			WO	WO-9007844	7/1990
	U.S. PATENT DOCUMENTS			WO	WO-9107050	5/1991
				WO	WO-9108629	6/1991
				WO	WO-9214284	8/1992
2011/0078731	A1	3/2011	Nishimura	WO	WO-9217027	10/1992
2011/0107388	A1	5/2011	Lee et al.	WO	WO-9222983	12/1992
2011/0163939	A1	7/2011	Tam et al.	WO	WO-9414282	6/1994
2011/0164175	A1	7/2011	Chung et al.	WO	WO-9414284	6/1994
2011/0167447	A1	7/2011	Wong	WO	WO-9415284	7/1994
				WO	WO-9501056	1/1995
				WO	WO-9501058	1/1995
				WO	WO-9501059	1/1995
				WO	WO-9510910	4/1995
DE	19502922	8/1996		WO	WO-9528055	10/1995
DE	19531121	2/1997		WO	WO-9532585	11/1995
DE	19740079	3/1999		WO	WO-9532587	11/1995
EP	0439281	7/1991		WO	WO-9607270	3/1996
EP	2299711	3/1993		WO	WO-9609721	3/1996
EP	0560593	9/1993		WO	WO-9613124	5/1996
EP	0627857	7/1994		WO	WO-9613932	5/1996
EP	0682452	11/1995		WO	WO-9620555	7/1996
EP	0744853	11/1996		WO	WO-9626605	8/1996
EP	0753964	1/1997		WO	WO-9631980	10/1996
EP	0774853	5/1997		WO	WO-9634491	10/1996
EP	0793225	9/1997		WO	WO-9636172	11/1996
EP	0795994	9/1997		WO	WO-9637075	11/1996
EP	0836321	10/1997		WO	WO-9641478	12/1996
EP	0805594	11/1997		WO	WO-9712486	4/1997
EP	0836320	4/1998		WO	WO-9713368	4/1997
EP	0843468	5/1998		WO	WO-9719565	5/1997
EP	0854645	7/1998		WO	WO-9722207	6/1997
EP	0897242	2/1999		WO	WO-9731480	8/1997
EP	0940983	9/1999		WO	WO-9733434	9/1997
EP	1099339	5/2001		WO	WO-9734413	9/1997
EP	1271952	1/2003		WO	WO-9735428	9/1997
EP	1363452	11/2003		WO	WO-9736422	10/1997
EP	1515549	3/2005		WO	WO-9741679	11/1997
EP	1538838	6/2005		WO	WO-9746943	12/1997
EP	2129113	12/2009		WO	WO-9747106	12/1997
EP	2154882	2/2010		WO	WO-9747124	12/1997
FR	2572235	4/1986		WO	WO-9747143	12/1997
FR	2579397	9/1986		WO	WO-9748228	12/1997
GB	2227622	8/1990		WO	WO-9748230	12/1997
GB	2229595	9/1990		WO	WO-9749237	12/1997
GB	2256115	11/1992		WO	WO-9750251	12/1997
GB	2256546	12/1992		WO	WO-9806219	2/1998
GB	2265792	10/1993		WO	WO-9810589	3/1998
GB	2275800	9/1994		WO	WO-9810598	3/1998
GB	2286754	8/1995		WO	WO-98-17063	4/1998
GB	2346251	8/2000		WO	WO-9816062	4/1998
GB	2458727	10/2009		WO	WO-9817064	4/1998
JP	02045495	2/1990		WO	WO-9826584	6/1998
JP	03022770	1/1991		WO	WO-9837694	8/1998
JP	03059837	3/1991		WO	WO-9843183	10/1998
JP	03215781	9/1991		WO	WO-9843416	10/1998
JP	04250760	9/1992		WO	WO-9856173	12/1998
JP	05260400	10/1993		WO	WO-9856176	12/1998
JP	06014129	1/1994		WO	WO-9859478	12/1998
JP	06046345	2/1994		WO	WO-9903267	1/1999
JP	07154349	6/1995		WO	WO-9904561	1/1999
JP	07184131	7/1995		WO	WO-9904570	1/1999
JP	07212331	8/1995		WO	WO-9914947	3/1999
JP	07212732	8/1995		WO	WO-9930491	6/1999
JP	0856352	2/1996		WO	WO-9945700	9/1999
JP	08242313	9/1996		WO	WO-9952279	10/1999
JP	08242436	9/1996		WO	WO-9957839	11/1999
JP	09065300	3/1997		WO	WO-9960783	11/1999
JP	09102827	4/1997		WO	WO-9966725	12/1999
JP	09120686	5/1997		WO	WO-0004706	1/2000
JP	09148994	6/1997		WO	WO-0004707	1/2000
JP	09162818	6/1997		WO	WO-0007368	2/2000
JP	09270965	10/1997		WO	WO-0008850	2/2000
JP	09298677	11/1997		WO	WO-0008851	2/2000
JP	11317937	11/1999		WO	WO-0008852	2/2000
KR	1998025758	7/1998		WO	WO-0016548	3/2000
WO	WO-8703766	6/1987		WO	WO-0028739	5/2000
WO	WO-8804507	6/1988		WO	WO-0033576	6/2000
WO	8903085	4/1989		WO	WO-0058833	10/2000
WO	WO-8903085	4/1989		WO	WO-0058967	10/2000

US 8,601,526 B2

Page 7

(56)

References Cited

FOREIGN PATENT DOCUMENTS

WO	WO-0059214	10/2000
WO	WO-0059233	10/2000
WO	WO-0062298	10/2000
WO	WO-0062299	10/2000
WO	WO-0062533	10/2000
WO	WO-0067475	11/2000
WO	WO-0122729	3/2001
WO	WO-0146843	6/2001
WO	WO-0147238	6/2001
WO	WO-0147249	6/2001
WO	WO-0147257	6/2001
WO	WO-0147273	6/2001
WO	WO-0147279	6/2001
WO	WO-0176239	10/2001
WO	WO-0176248	10/2001
WO	WO-0191458	11/2001
WO	WO-0278317	10/2002
WO	WO-03098932	11/2003
WO	WO-2004054264	6/2004
WO	WO-2005091626	9/2005
WO	WO-2007036891	4/2007
WO	2008042267 A2	4/2008
WO	WO-2009067670	5/2009
WO	WO-2009148056	12/2009
WO	WO 2011/037761	3/2011
WO	WO 2011/084950	7/2011

OTHER PUBLICATIONS

U.S. Appl. No. 60/020,580, filed Jun. 26, 1996, Goldschmidt.
 U.S. Appl. No. 60/024,435, filed Aug. 22, 1996, Goldschmidt.
 U.S. Appl. No. 60/024,436, filed Aug. 22, 1996, Goldschmidt.
 U.S. Appl. No. 60/024,452, filed Aug. 27, 1996, Goldschmidt.
 U.S. Appl. No. 08/900,417, filed Jul. 25, 1997, Daniels.
 U.S. Appl. No. 11/324,202, filed Dec. 29, 2005, Yates.
 "Advanced Analog Systems—Addressable Terminals" General Instrument Corp. of Horsham, Pennsylvania (URL:<http://www.gi.com/busarea/analog/terminal/watch/watch.html>) Printed from the Internet on Mar. 4, 1999.
 "Directv Digital Satellite Receiver—Operating Instructions," Sony Electronics Inc. (2001).
 "Directv Receiver—Owner's Manual," Directv, Inc. (2002).
 "Directv Receiver with TiVo Digital Satellite Receiver/Recorder SAT-T60—Installation Guide," Sony Corporation (2000).
 "Directv Receiver with TiVo Installation Guide," Philips (2000).
 "Directv Receiver with TiVo Viewer's Guide" (1999, 2000).
 "DishPro Satellite System—User's Guide," Dish Network (undated).
 "Electronic Programme Guide (EPG); Protocol for a TV Guide using electronic data transmission" by European Telecommunication Standards Institute, May 1997, Valbonne, France, publication No. ETS 300 707.
 "Fall 2001 TiVo Service Update with Dual Tuner!," TiVo Inc. (2001).
 "Honey, is there anything good on the remote tonight?," advertisement from Multichannel News, Broadband Week Section, p. 168, Nov. 30, 1998.
 "How Evolve Works," from the Internet at <http://www.evolveproducts.com/network.html>, printed on Dec. 28, 1998.
 "Jini Architecture Overview," by Jim Waldo, from the Internet at <http://Java.sun.com/products/jini/whitepapers/architectureoverview.pdf>, printed on Jan. 25, 1999. The document bears a copyright date of 1998.
 "PTV Recorder Setup Guide," Philips (2000).
 "RCA Satellite Receiver User's Guide," Thomson Multimedia Inc. (2001).
 "Reaching your subscribers is a complex and costly process-until now," from the Internet at <http://www.evolveproducts.com/info.html>, printed on Dec. 28, 1998.
 "Start Here," Sony, TiVo and DIRECTV (undated).
 "Sun's Next Steps in Digital Set-Tops," article in Cablevision, p. 56, Nov. 16, 1998.

"Teletext System," National Technical Report, vol. 27, No. 4, Aug. 1981 (with full English language translation).
 "The Evolve EZ Guide. The Remote Control," from the Internet at <http://www.evolveproducts.com/display2.html>, printed on Dec. 28, 1998.
 "Using StarSight 2," published before Apr. 19, 1995.
 "Why Jini Now?," from the internet at <http://java.sun.com/products/jini/whitepapers/whyjiniow.pdf>, printed on Jan. 25, 1999. The document bears a copyright date of 1998.
 "Windows 98 Feature Combines TV, Terminal and the Internet," New York Times, Aug. 18, 1998.
 Archived Intel Intercast's Website from Archive. Org, "How Does It Work?," <<http://web.archive.org/web/19990429214537/www.intercast.com/intercast/howitwks.htm>>, Accessed on Jul. 8, 2008.
 Archived Intel Intercast's Website from Archive. Org, "What Is It?," <<http://web.archive.org/web/19990422195517/www.intercast.com/intercast/whatisit.htm>>, Accessed on Jul. 8, 2008.
 Bach et al., "Multimediales-TV-Geraet," Radio Fernsehen Elektronik, De, Veb, Verlag, Technik, Berlin, vol. 45, No. 9, Aug. 1, 1996, pp. 28, 30-31, XP 000636538, ISSN: 1436-1574 (Translation, pp. 1-5).
 Bach et al., "Multimedia-Terminal ALS Endgeraet," Funkschau, De, Franzis-Verlag K.G. Munchen, vol. 68, No. 6, Mar. 1, 1996, pp. 70-75, XP 000556486, ISSN: 0016-2841 (Translation, pp. 1-7).
 Counterstatement of the Patentee for European Patent EP-B-1099341 (Feb. 23, 2006).
 Darrow, et al., "Design Guidelines for Technology-Mediated Social Interaction in a Presence Sensing Physical Space," Carnegie Mellon University Research Showcase, Carnegie Institute of Technology, Jan. 1, 2007, pp. 1-9.
 Digital Video Broadcasting (DVB); DVB specification for data broadcasting, European Telecommunications Standards Institute, Draft EN 301 192 V1.2.1 (Jan. 1999).
 DiRosa, "Pinochle's BIGSURF Netguide", Jul. 1995, Volute 3.1, pp. 260-270.
 Eitz, "Zukunfftige Informations-Und Datenangebote Beim Digitalen Fernsehen—EPG Und "Lesezeichen"," Rundfunktechnische Mitteilungen, vol. 41, pp. 67-72, Apr. 30, 1997.
 EPO Opposition Against EP1213919 by Virgin Media Limited dated Dec. 16, 2010.
 EPO Opposition Statement of Grounds of Appeal for EP1099341 dated Feb. 28, 2011.
 EPO Opposition Submission for European Patent EP-B-1099341 dated Mar. 19, 2010.
 Hirtz et al., "Open TV: Betriebssystem Fuer Interaktives Fernsehen," Fernseh Und Kinotechnik, de vde Verlag GMBH, Berlin, vol. 50, No. 3, Mar. 1, 1996, pp. 84-89, XP000581417, ISSN: 0015-0142 (Translation, pp. 1-9).
 Hofmann, et al., "Videotext Programmirt Videorecorder," Rundfunktechnische Mitteilungen, Nov.-Dec. 1982, pp. 254-257.
 Index Systems Inc., "Gemstar Service Object Model," Data Format Specification, Ver. 2.0.4, pp. 58-59.
 Jaidev, "EXSLT—A Wired and Wireless Case Study," <http://csharpcomputing.com/XMLTutorial/Lesson15.htm>.
 Motorola, Inc.; Integrated Datacasting Solutions for Digital Television XP-002204351; Jun. 1999.
 Neumann, "WDR Online Aufbau Und Perspektiven Automatisierter Online-Dienste Im WDR," Rundfunktechnische Mitteilungen, vol. 41, pp. 56-66, Jun. 1997.
 Ochiai et al., "@randomTV: A New TV System," NEC C&C Media Research Laboratories, Mar. 17, 1998, pp. 3-302-3-303.
 Opposition against EP99935637 by Fast TV Server AG (Aug. 3, 2005).
 Opposition against EP99935637 by Velocity 303 Limited (Aug. 3, 2005).
 Papers Delivered (Part1), 61st National Conference, Information Processing Society of Japan, Oct. 3-5, 2000.
 Pogue, "State of the Art: For TiVo and Replay, New Reach," N.Y. Times, May 29, 2003.
 Randerson, "Let Software Catch the Game for You," New Scientist, Jul. 3, 2004.
 Research Disclosure, No. 329, Sep. 1991, HAVANT GB, p. 657, XP226205, "Installation of consumer apparatus".

US 8,601,526 B2

Page 8

(56)

References Cited

OTHER PUBLICATIONS

Rewind, replay and unwind with new high-tech TV devices, by Lawrence J. Magid, LA Times. This document was printed from the Internet on Jun. 6, 1999 and bears a date of May 19, 1999.
Rogers, "Telcos vs. Cable TV: The Global View," Data Communications, No. 13, New York, pp. 75, 76, 78 and 80, Sep. 1995.
Saito, et al., "Homenetwork Architecture Considering Digital Home Appliance," Technical Committee meeting of the Institute of Electronics, Information and Communication Engineers (IEICE), Japan, Nov. 6, 1997, vol. 97, No. 368, p. 57-64.

Schepp et al., "The Complete Guide to CompuServe," Chapter 7, "IQuest and General Information Gathering," pp. 211-258, (McGraw-Hill Osborne Media, Har/Dis edition 1990).

Submission by Velocity in European Patent No. 1099341 (Mar. 19, 2010).

User's Guide RCA Color TV with TV Plus+Guide, 1997.

Venditto, Prodigy for Dummies, IDG Books, pp. 57-63, 213 (1995).

Verknuepfung von TV mit INternet, Funkschau, De, Franzis—Verlag K.G. Munchen, vol. 68, No. 18 Aug. 16, 1996, pp. 70-71, XP 000631189, ISSN: 0016-2841 (Translation, pp. 1-3).

* cited by examiner





FIG. 3






FIG. 4








FIG. 6.

U.S. Patent

Dec. 3, 2013

Sheet 5 of 10

US 8,601,526 B2


700

FIG.7.




FIG.8.

U.S. Patent

Dec. 3, 2013

Sheet 7 of 10

US 8,601,526 B2




FIG.9.




FIG.10.




FIG.11.




FIG.12.

US 8,601,526 B2

1

SYSTEMS AND METHODS FOR DISPLAYING MEDIA CONTENT AND MEDIA GUIDANCE INFORMATION

This application claims the benefit of U.S. Provisional Application No. 61/061,185, filed Jun. 13, 2008, the disclosure of which is hereby incorporated by reference herein in its entirety.

BACKGROUND OF THE INVENTION

Embodiments of the invention relate generally to media systems and methods, and more particularly, to media systems and methods for displaying media content and media guidance information received by portable electronic devices.

The amount and variety of media content available to users has increased dramatically in recent years. In addition to hundreds of conventional broadcast television channels, users may now access a nearly limitless amount of video, audio, and other content. Moreover, with the advent of the Internet, mobile computing, and high-speed wireless networks, users are accessing media content on devices on which they traditionally did not, such as mobile phones, personal computers, hand-held computers, personal digital assistants (PDAs), or other portable electronic devices. For example, it is now common to equip mobile phones with digital receivers for receiving and displaying television programs and other media content broadcast by terrestrial broadcasting services.

Interactive media guidance applications have been developed to assist users in navigating through the wide array of media content accessible by televisions, mobile phones, and other equipment. An interactive media guidance application may also perform media guidance application functions on content accessible by a user's equipment. These media guidance application functions may include searching for desired content, scheduling a selected content to be recorded, recording the selected content to a local storage device or remote media server, adding the selected content to a favorite programs list, setting a reminder for the selected content, ordering the selected content via an on-demand (e.g., video on-demand or VOD) or pay-per-view (PPV) service, or any other suitable function.

Although interactive media guidance applications are relatively easy to use with televisions and computer monitors, they are less so with mobile phones and other portable electronic devices because the display screens on such devices are typically too small to display much of the media guidance data provided by the guidance applications.

Similarly, while many users enjoy the portability and convenience of watching media content via their mobile phones and other portable electronic devices, they sometimes have difficulty viewing some types of media content because of the small display screens.

SUMMARY OF THE INVENTION

Embodiments of the present invention solve the above-described problems and provide enhanced systems and methods for displaying media content and media guidance information received by portable electronic devices.

Embodiments of the invention may be implemented with a system comprising television equipment and a number of portable electronic devices. The television equipment may include a display, control circuitry, and possibly other equipment such as a DVD player or digital recorder. The control circuitry may be contained within a set-top box, an integrated

2

receiver decoder (IRD), the display itself, or other similar component and receives media content and media guidance data for display on the display. The control circuitry also includes communication components for communicating with the portable electronic devices. The display is preferably a large-screen television but may be any type of monitor, liquid crystal display (LCD), or other suitable device for displaying video.

The portable electronic devices may be mobile phones, portable computers, portable game players, portable televisions, portable navigation devices, personal digital assistants, or any other type of portable electronic device capable of displaying video and communicating with other devices as described herein. The portable electronic devices are operable for wirelessly receiving and displaying media content and media guidance information and for communicating with the above-described television equipment.

Embodiments of the invention permit users to display media guidance data for their portable electronic devices on the relatively larger display of the television equipment so the data can be more easily viewed and/or used. The display may be divided into segments so that users of multiple portable electronic devices may simultaneously display their media guidance data on different segments or areas of the display. This permits members of a family or other group to watch media content on their personal electronic devices while occasionally transmitting media guidance data and/or media content to the television equipment for display on the shared large display.

Embodiments of the invention also permit portable electronic device users to edit, use, or otherwise manipulate their media guidance information while it is displayed on the large display. The edited or otherwise altered media guidance information may then be transmitted back to the portable electronic devices for use and/or display.

Embodiments of the invention also permit users to share media guidance data among several portable electronic devices; watch a media content on the display while listening to it via a portable electronic device; and play electronic games on the display while other users watch media content on the display.

An exemplary method of the invention comprises the steps of receiving media guidance information with a first portable electronic device; transmitting at least some of the media guidance information from the first portable electronic device to control circuitry of television equipment; and displaying the media guidance information from the first portable electronic device on the display of the television equipment while simultaneously displaying media content or media guidance information received from a source other than the first portable electronic device. For example, media guidance information received from a second portable electronic device or media guidance information for the television equipment itself may be simultaneously displayed alongside the media guidance information for the first portable electronic device.

These and other important aspects of the present invention are described more fully in the detailed description below.

BRIEF DESCRIPTION OF THE DRAWINGS

The above and other objects and advantages of the invention will be apparent upon consideration of the following detailed description, taken in conjunction with the accompanying drawings, in which like reference characters refer to like parts throughout, and in which:

US 8,601,526 B2

3

FIG. 1 shows an illustrative display screen that may be used to provide media guidance application listings and other media guidance information in accordance with an embodiment of the invention;

FIG. 2 shows another illustrative display screen that may be used to provide media guidance application listings in accordance with an embodiment of the invention;

FIG. 3 is a block diagram of an illustrative user equipment device in accordance with an embodiment of the invention;

FIG. 4 is a block diagram of an illustrative interactive media system in accordance with an embodiment of the invention;

FIG. 5 is a schematic diagram of an illustrative media system for displaying media guidance information in accordance with an embodiment of the invention;

FIG. 6 is a block diagram of selected components of an exemplary portable electronic device and an exemplary control circuitry that may be used to implement embodiments of the present invention;

FIG. 7 is an illustrative display screen showing recording options on an overlay in accordance with an embodiment of the invention;

FIG. 8 is an illustrative display screen showing media content listings for media content that has been recorded or is scheduled for recording in accordance with an embodiment of the invention; and

FIG. 9 is an illustrative display screen showing media content recommendations in accordance with an embodiment of the invention;

FIG. 10 shows an illustrative process for displaying media guidance information in accordance with an embodiment of the invention;

FIG. 11 shows another illustrative process for displaying media guidance information in accordance with an embodiment of the invention; and

FIG. 12 shows another illustrative process for displaying media guidance information in accordance with an embodiment of the invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The amount of media content available to users in any given media delivery system can be substantial. Consequently, many users desire a form of media guidance through an interface that allows users to efficiently navigate media selections and easily identify media content that they may desire. An application which provides such guidance is referred to herein as an interactive media guidance application or, sometimes, a media guidance application or a guidance application.

Interactive media guidance applications may take various forms depending on the media for which they provide guidance. One typical type of media guidance application is an interactive television program guide. Interactive television program guides (sometimes referred to as electronic program guides) are well-known guidance applications that, among other things, allow users to navigate among and locate many types of media content including conventional television programming (provided via traditional broadcast, cable, satellite, Internet, or other means), as well as pay-per-view programs, on-demand programs (as in video-on-demand (VOD) systems), Internet content (e.g., streaming media, downloadable media, Webcasts, etc.), and other types of media or video content. Guidance applications also allow users to navigate

4

among and locate content related to the video content including, for example, video clips, articles, advertisements, chat sessions, games, etc.

With the advent of the Internet, mobile computing, and high-speed wireless networks, users are accessing media on devices on which they traditionally did not, such as personal computers, hand-held computers, personal digital assistants (PDAs), mobile telephones, or other mobile devices. On these devices users are able to navigate among and locate the same media available through a television. Consequently, media guidance is necessary on these devices, as well. The guidance provided may be for media content available only through a television, for media content available only through one or more of these devices, or for media content available both through a television and one or more of these devices. The media guidance applications may be provided as on-line applications (i.e., provided on a web-site), or as stand-alone applications or clients on hand-held computers, PDAs, mobile telephones, or other mobile devices. The various devices and platforms that may implement media guidance applications are described in more detail below.

One of the functions of the media guidance application is to provide media listings and media information to users. FIGS. 1, 2, and 7-9 show illustrative display screens that may be used to provide media guidance data or information, and in particular, media listings. The display screens shown in FIGS. 1, 2, and 7-9 may be implemented on any suitable device or platform. The display screens may be full screen displays or may be fully or partially overlaid over media content being displayed. A user may indicate a desire to access media information by selecting a selectable option provided in a display screen (e.g., a menu option, a listings option, an icon, a hyperlink, etc.) or pressing a dedicated button (e.g., a GUIDE button) on a remote control or other user input interface or device. In response to the user's indication, the media guidance application may provide a display screen with media information organized in one of several ways, such as by time and channel in a grid, by time, by channel, by media type, by category (e.g., movies, sports, news, children, or other categories of programming), or other predefined, user-defined, or other organization criteria.

FIG. 1 shows illustrative grid program listings display 100 arranged by time and channel that also enables access to different types of media content in a single display. Display 100 may include grid 102 with: (1) a column of channel/media type identifiers 104, where each channel/media type identifier (which is a cell in the column) identifies a different channel or media type available; and (2) a row of time identifiers 106, where each time identifier (which is a cell in the row) identifies a time block of programming. Grid 102 also includes cells of program listings, such as program listing 108, where each listing provides the title of the program provided on the listing's associated channel and time. With a user input device, a user can select program listings by moving highlight region 110. Information relating to the program listing selected by highlight region 110 may be provided in program information region 112. Region 112 may include, for example, the program title, the program description, the time the program is provided (if applicable), the channel the program is on (if applicable), the program's rating, and other desired information.

In addition to providing access to linear programming provided according to a schedule, the media guidance application also provides access to non-linear programming which is not provided according to a schedule. Non-linear programming may include content from different media sources including on-demand media content (e.g., VOD), Internet

US 8,601,526 B2

5

content (e.g., streaming media, downloadable media, etc.), locally stored media content (e.g., video content stored on a digital video recorder (DVR), digital video disc (DVD), video cassette, compact disc (CD), etc.), or other time-insensitive media content. On-demand content may include both movies and original media content provided by a particular media provider (e.g., HBO On Demand providing “The Sopranos” and “Curb Your Enthusiasm”). HBO ON DEMAND, THE SOPRANOS, and CURB YOUR ENTHUSIASM are trademarks owned by the Home Box Office, Inc. Internet content may include web events, such as a chat session or Webcast, or content available on-demand as streaming media or downloadable media through an Internet web site or other Internet access (e.g. FTP).

Grid **102** may provide listings for non-linear programming including on-demand listing **114**, recorded media listing **116**, and Internet content listing **118**. A display combining listings for content from different types of media sources is sometimes referred to as a “mixed-media” display. The various permutations of the types of listings that may be displayed that are different than display **100** may be based on user selection or guidance application definition (e.g., a display of only recorded and broadcast listings, only on-demand and broadcast listings, etc.). As illustrated, listings **114**, **116**, and **118** are shown as spanning the entire time block displayed in grid **102** to indicate that selection of these listings may provide access to a display dedicated to on-demand listings, recorded listings, or Internet listings, respectively. In other embodiments, listings for these media types may be included directly in grid **102**. Additional listings may be displayed in response to the user selecting one of the navigational icons **120**. (Pressing an arrow key on a user input device may affect the display in a similar manner as selecting navigational icons **120**.)

Display **100** may also include video region **122**, advertisement **124**, and options region **126**. Video region **122** may allow the user to view and/or preview programs that are currently available, will be available, or were available to the user. The content of video region **122** may correspond to, or be independent from, one of the listings displayed in grid **102**. Grid displays including a video region are sometimes referred to as picture-in-guide (PIG) displays. PIG displays and their functionalities are described in greater detail in Satterfield et al. U.S. Pat. No. 6,564,378, issued May 13, 2003 and Yuen et al. U.S. Pat. No. 6,239,794, issued May 29, 2001, which are hereby incorporated by reference herein in their entireties. PIG displays may be included in other media guidance application display screens of the present invention.

Advertisement **124** may provide an advertisement for media content that, depending on a viewer’s access rights (e.g., for subscription programming), is currently available for viewing, will be available for viewing in the future, or may never become available for viewing, and may correspond to or be unrelated to one or more of the media listings in grid **102**. Advertisement **124** may also be for products or services related or unrelated to the media content displayed in grid **102**. Advertisement **124** may be selectable and provide further information about media content, provide information about a product or a service, enable purchasing of media content, a product, or a service, provide media content relating to the advertisement, etc. Advertisement **124** may be targeted based on a user’s profile/preferences, monitored user activity, the type of display provided, or on other suitable targeted advertisement bases.

While advertisement **124** is shown as rectangular or banner shaped, advertisements may be provided in any suitable size, shape, and location in a guidance application display. For

6

example, advertisement **124** may be provided as a rectangular shape that is horizontally adjacent to grid **102**. This is sometimes referred to as a panel advertisement. In addition, advertisements may be overlaid over media content or a guidance application display or embedded within a display. Advertisements may also include text, images, rotating images, video clips, or other types of media content. Advertisements may be stored in the user equipment with the guidance application, in a database connected to the user equipment, in a remote location (including streaming media servers), or on other storage means or a combination of these locations. Providing advertisements in a media guidance application is discussed in greater detail in, for example, Knudson et al., U.S. patent application Ser. No. 10/347,673, filed Jan. 17, 2003, Ward, III et al. U.S. Pat. No. 6,756,997, issued Jun. 29, 2004, and Schein et al. U.S. Pat. No. 6,388,714, issued May 14, 2002, which are hereby incorporated by reference herein in their entireties. It will be appreciated that advertisements may be included in other media guidance application display screens of the present invention.

Options region **126** may allow the user to access different types of media content, media guidance application displays, and/or media guidance application features. Options region **126** may be part of display **100** (and other display screens of the present invention), or may be invoked by a user by selecting an on-screen option or pressing a dedicated or assignable button on a user input device. The selectable options within options region **126** may concern features related to program listings in grid **102** or may include options available from a main menu display. Features related to program listings may include searching for other air times or ways of receiving a program, recording a program, enabling series recording of a program, setting program and/or channel as a favorite, purchasing a program, or other features. Options available from a main menu display may include search options, VOD options, parental control options, access to various types of listing displays, subscribe to a premium service, edit a user’s profile, access a browse overlay, or other options.

The media guidance application may be personalized based on a user’s preferences. A personalized media guidance application allows a user to customize displays and features to create a personalized “experience” with the media guidance application. This personalized experience may be created by allowing a user to input these customizations and/or by the media guidance application monitoring user activity to determine various user preferences. Users may access their personalized guidance application by logging in or otherwise identifying themselves to the guidance application. Customization of the media guidance application may be made in accordance with a user profile. The customizations may include varying presentation schemes (e.g., color scheme of displays, font size of text, etc.), aspects of media content listings displayed (e.g., only HDTV programming, user-specified broadcast channels based on favorite channel selections, re-ordering the display of channels, recommended media content, etc.), desired recording features (e.g., recording or series recordings for particular users, recording quality, etc.), parental control settings, and other desired customizations.

The media guidance application may allow a user to provide user profile information or may automatically compile user profile information. The media guidance application may, for example, monitor the media the user accesses and/or other interactions the user may have with the guidance application. Additionally, the media guidance application may obtain all or part of other user profiles that are related to a particular user (e.g., from other web sites on the Internet the

US 8,601,526 B2

7

user accesses, such as www.tvguide.com, from other media guidance applications the user accesses, from other interactive applications the user accesses, from a handheld device of the user, etc.), and/or obtain information about the user from other sources that the media guidance application may access. As a result, a user can be provided with a unified guidance application experience across the user's different devices. This type of user experience is described in greater detail below in connection with FIG. 4. Additional personalized media guidance application features are described in greater detail in Ellis et al., U.S. patent application Ser. No. 11/179,410, filed Jul. 11, 2005, Boyer et al., U.S. patent application Ser. No. 09/437,304, filed Nov. 9, 1999, and Ellis et al., U.S. patent application Ser. No. 10/105,128, filed Feb. 21, 2002, which are hereby incorporated by reference herein in their entireties.

Another display arrangement for providing media guidance is shown in FIG. 2. Video mosaic display 200 includes selectable options 202 for media content information organized based on media type, genre, and/or other organization criteria. In display 200, television listings option 204 is selected, thus providing listings 206, 208, 210, and 212 as broadcast program listings. Unlike the listings from FIG. 1, the listings in display 200 are not limited to simple text (e.g., the program title) and icons to describe media. Rather, in display 200 the listings may provide graphical images including cover art, still images from the media content, video clip previews, live video from the media content, or other types of media that indicate to a user the media content being described by the listing. Each of the graphical listings may also be accompanied by text to provide further information about the media content associated with the listing. For example, listing 208 may include more than one portion, including media portion 214 and text portion 216. Media portion 214 and/or text portion 216 may be selectable to view video in full-screen or to view program listings related to the video displayed in media portion 214 (e.g., to view listings for the channel that the video is displayed on).

The listings in display 200 are of different sizes (i.e., listing 206 is larger than listings 208, 210, and 212), but if desired, all the listings may be the same size. Listings may be of different sizes or graphically accentuated to indicate degrees of interest to the user or to emphasize certain content, as desired by the media provider or based on user preferences. Various systems and methods for graphically accentuating media listings are discussed in, for example, Yates, U.S. patent application Ser. No. 11/324,202, filed Dec. 29, 2005, which is hereby incorporated by reference herein in its entirety.

Users may access media content and the media guidance application (and its display screens described above and below) from one or more of their user equipment devices. The user equipment devices may be personal computers, televisions, television-equipped mobile phones, or any other devices. For example, one user equipment device may be a personal computer provided with a tuner card that allows TV signals to be displayed on the computer monitor. The user equipment device may also be television equipment with a set-top box or receiver that permits access to the Internet via a cable connection phone line, or other communication line. The user equipment may also be a mobile phone equipped with a 1 seg tuner or other device that permits receipt of media content and media guidance data.

FIG. 3 shows a generalized embodiment of illustrative user equipment device 300. More specific implementations of user equipment devices are discussed below in connection with FIGS. 4-5. User equipment device 300 may receive media content and data via input/output (hereinafter "I/O") path

8

302. I/O path 302 may provide media content (e.g., broadcast programming, on-demand programming, Internet content, and other video or audio) and data to control circuitry 304, which includes processing circuitry 306 and storage 308. Control circuitry 304 may be used to send and receive commands, requests, and other suitable data using I/O path 302. I/O path 302 may connect control circuitry 304 (and specifically processing circuitry 306) to one or more communications paths (described below). I/O functions may be provided by one or more of these communications paths, but are shown as a single path in FIG. 3 to avoid overcomplicating the drawing.

Control circuitry 304 may be based on any suitable processing circuitry 306 such as one or more microprocessors, microcontrollers, digital signal processors, programmable logic devices, etc. In some embodiments, control circuitry 304 executes instructions for a media guidance application stored in memory (i.e., storage 308). In client-server based embodiments, control circuitry 304 may include communications circuitry suitable for communicating with a guidance application server or other networks or servers. Communications circuitry may include a cable modem, an integrated services digital network (ISDN) modem, a digital subscriber line (DSL) modem, a telephone modem, or a wireless modem for communications with other equipment. Such communications may involve the Internet or any other suitable communications networks or paths (which is described in more detail in connection with FIG. 4). In addition, communications circuitry may include circuitry that enables peer-to-peer communication of user equipment devices, or communication of user equipment devices in locations remote from each other (described in more detail below).

Memory (e.g., random-access memory, read-only memory, or any other suitable memory), hard drives, optical drives, or any other suitable fixed or removable storage devices (e.g., DVD recorder, CD recorder, video cassette recorder, or other suitable recording device) may be provided as storage 308 that is part of control circuitry 304. Storage 308 may include one or more of the above types of storage devices. For example, user equipment device 300 may include a hard drive for a DVR (sometimes called a personal video recorder, or PVR) and a DVD recorder as a secondary storage device. Storage 308 may be used to store various types of media described herein and guidance application data, including program information, guidance application settings, user preferences or profile information, or other data used in operating the guidance application. Nonvolatile memory may also be used (e.g., to launch a boot-up routine and other instructions).

Control circuitry 304 may include video generating circuitry and tuning circuitry, such as one or more analog tuners, one or more MPEG-2 decoders or other digital decoding circuitry, high-definition tuners, or any other suitable tuning or video circuits or combinations of such circuits. Encoding circuitry (e.g., for converting over-the-air, analog, or digital signals to MPEG signals for storage) may also be provided. Control circuitry 304 may also include scaler circuitry for upconverting and downconverting media into the preferred output format of the user equipment 300. Circuitry 304 may also include digital-to-analog converter circuitry and analog-to-digital converter circuitry for converting between digital and analog signals. The tuning and encoding circuitry may be used by the user equipment to receive and to display, to play, or to record media content. The tuning and encoding circuitry may also be used to receive guidance data. The circuitry described herein, including for example, the tuning, video generating, encoding, decoding, scaler, and analog/digital

US 8,601,526 B2

9

circuitry, may be implemented using software running on one or more general purpose or specialized processors. Multiple tuners may be provided to handle simultaneous tuning functions (e.g., watch and record functions, picture-in-picture (PIP) functions, multiple-tuner recording, etc.). If storage **308** is provided as a separate device from user equipment **300**, the tuning and encoding circuitry (including multiple tuners) may be associated with storage **308**.

A user may control the control circuitry **304** using user input interface **310**. User input interface **310** may be any suitable user interface, such as a remote control, mouse, trackball, keypad, keyboard, touch screen, touch pad, stylus input, joystick, voice recognition interface, or other user input interfaces. Display **312** may be provided as a stand-alone device or integrated with other elements of user equipment device **300**. Display **312** may be one or more of a monitor, a television, a liquid crystal display (LCD) for a mobile device, or any other suitable equipment for displaying visual images. In some embodiments, display **312** may be HDTV-capable. Speakers **314** may be provided as integrated with other elements of user equipment device **300** or may be stand-alone units. The audio component of videos and other media content displayed on display **312** may be played through speakers **314**. In some embodiments, the audio may be distributed to a receiver (not shown), which processes and outputs the audio via speakers **314**.

User equipment device **300** of FIG. 3 can be implemented in system **400** of FIG. 4 as user television equipment **402**, user computer equipment **404**, wireless user communications device **406**, or any other type of user equipment suitable for accessing media, such as a non-portable gaming machine. For simplicity, these devices may be referred to herein collectively as user equipment or user equipment devices. User equipment devices, on which a media guidance application is implemented, may function as a standalone device or may be part of a network of devices. Various network configurations of devices may be implemented and are discussed in more detail below.

User television equipment **402** may include a set-top box, an integrated receiver decoder (IRD) for handling satellite television, a television set, a digital storage device, a DVD recorder, a video-cassette recorder (VCR), a local media server, or other user television equipment. One or more of these devices may be integrated to be a single device, if desired. User computer equipment **404** may include a PC, a laptop, a tablet, a WebTV box, a personal computer television (PC/TV), a PC media server, a PC media center, or other user computer equipment. WEBTV is a trademark owned by Microsoft Corp. Wireless user communications device **406** may include PDAs, a mobile telephone, a portable video player, a portable music player, a portable gaming machine, or other wireless devices.

It should be noted that with the advent of television tuner cards for PC's, WebTV, and the integration of video into other user equipment devices, the lines have become blurred when trying to classify a device as one of the above devices. In fact, each of user television equipment **402**, user computer equipment **404**, and wireless user communications device **406** may utilize at least some of the system features described above in connection with FIG. 3 and, as a result, include flexibility with respect to the type of media content available on the device. For example, user television equipment **402** may be Internet-enabled allowing for access to Internet content, while user computer equipment **404** may include a tuner allowing for access to television programming. The media guidance application may also have the same layout on the various different types of user equipment or may be tailored to

10

the display capabilities of the user equipment. For example, on user computer equipment, the guidance application may be provided as a web site accessed by a web browser. In another example, the guidance application may be scaled down for wireless user communications devices.

In system **400**, there is typically more than one of each type of user equipment device but only one of each is shown in FIG. 4 to avoid overcomplicating the drawing. In addition, each user may utilize more than one type of user equipment device (e.g., a user may have a television set and a computer) and also more than one of each type of user equipment device (e.g., a user may have a PDA and a mobile telephone and/or multiple television sets).

The user may also set various settings to maintain consistent media guidance application settings across in-home devices and remote devices. Settings include those described herein, as well as channel and program favorites, programming preferences that the guidance application utilizes to make programming recommendations, display preferences, and other desirable guidance settings. For example, if a user sets a channel as a favorite on, for example, the web site www.tvguide.com on their personal computer at their office, the same channel would appear as a favorite on the user's in-home devices (e.g., user television equipment and user computer equipment) as well as the user's mobile devices, if desired. Therefore, changes made on one user equipment device can change the guidance experience on another user equipment device, regardless of whether they are the same or a different type of user equipment device. In addition, the changes made may be based on settings input by a user, as well as user activity monitored by the guidance application.

The user equipment devices may be coupled to communications network **414**. Namely, user television equipment **402**, user computer equipment **404**, and wireless user communications device **406** are coupled to communications network **414** via communications paths **408**, **410**, and **412**, respectively. Communications network **414** may be one or more networks including the Internet, a mobile phone network, mobile device (e.g., Blackberry) network, cable network, public switched telephone network, or other types of communications network or combinations of communications networks. BLACKBERRY is a trademark owned by Research In Motion Limited Corp. Paths **408**, **410**, and **412** may separately or together include one or more communications paths, such as, a satellite path, a fiber-optic path, a cable path, a path that supports Internet communications (e.g., IPTV), free-space connections (e.g., for broadcast or other wireless signals), or any other suitable wired or wireless communications path or combination of such paths. Path **412** is drawn with dotted lines to indicate that in the exemplary embodiment shown in FIG. 4 it is a wireless path and paths **408** and **410** are drawn as solid lines to indicate they are wired paths (although these paths may be wireless paths, if desired). Communications with the user equipment devices may be provided by one or more of these communications paths, but are shown as a single path in FIG. 4 to avoid overcomplicating the drawing.

Although communications paths are not drawn between user equipment devices, these devices may communicate directly with each other via communication paths, such as those described above in connection with paths **408**, **410**, and **412**, as well other short-range point-to-point communication paths, such as USB cables, IEEE 1394 cables, wireless paths (e.g., Bluetooth, infrared, IEEE 802-11x, etc.), or other short-range communication via wired or wireless paths. BLUETOOTH is a trademark owned by Bluetooth SIG, INC. The

US 8,601,526 B2

11

user equipment devices may also communicate with each other directly through an indirect path via communications network **414**.

System **400** includes media content source **416** and media guidance data source **418** coupled to communications network **414** via communication paths **120** and **422**, respectively. Paths **420** and **422** may include any of the communication paths described above in connection with paths **408**, **410**, and **412**. Communications with the media content source **416** and media guidance data source **418** may be exchanged over one or more communications paths, but are shown as a single path in FIG. **4** to avoid overcomplicating the drawing. In addition, there may be more than one of each of media content source **416** and media guidance data source **418**, but only one of each is shown in FIG. **4** to avoid overcomplicating the drawing. (The different types of each of these sources are discussed below.) If desired, media content source **416** and media guidance data source **418** may be integrated as one or two source devices. Although communications between sources **416** and **418** with user equipment devices **402**, **404**, and **406** are shown as through communications network **414**, in some embodiments, sources **416** and **418** may communicate directly with user equipment devices **402**, **404**, and **406** via communication paths (not shown) such as those described above in connection with paths **408**, **410**, and **412**.

Media content source **416** may include one or more types of media distribution equipment including a television distribution facility, cable system headend, satellite distribution facility, programming sources (e.g., television broadcasters, such as NBC, ABC, HBO, etc.), intermediate distribution facilities and/or servers, Internet providers, on-demand media servers, and other media content providers. NBC is a trademark owned by the National Broadcasting Company, Inc., ABC is a trademark owned by the ABC, INC., and HBO is a trademark owned by the Home Box Office, Inc. Media content source **416** may be the originator of media content (e.g., a television broadcaster, a Webcast provider, etc.) or may not be the originator of media content (e.g., an on-demand media content provider, an Internet provider of video content of broadcast programs for downloading, etc.). Media content source **416** may include cable sources, satellite providers, on-demand providers, Internet providers, or other providers of media content. Media content source **416** may also include a remote media server used to store different types of media content (including video content selected by a user), in a location remote from any of the user equipment devices. Systems and methods for remote storage of media content, and providing remotely stored media content to user equipment are discussed in greater detail in connection with Ellis et al., U.S. patent application Ser. No. 09/332,244, filed Jun. 11, 1999, which is hereby incorporated by reference herein in its entirety.

Media guidance data source **418** may provide media guidance data, such as media listings, media-related information (e.g., broadcast times, broadcast channels, media titles, media descriptions, ratings information (e.g., parental control ratings, critic's ratings, etc.), genre or category information, actor information, logo data for broadcasters' or providers' logos, etc.), media format (e.g., standard definition, high definition, etc.), advertisement information (e.g., text, images, media clips, etc.), on-demand information, and any other type of guidance data that is helpful for a user to navigate among and locate desired media selections.

Media guidance application data may be provided to the user equipment devices using any suitable approach. In some embodiments, the guidance application may be a stand-alone interactive television program guide that receives program

12

guide data via a data feed (e.g., a continuous feed, trickle feed, or data in the vertical blanking interval of a channel).

Program schedule data and other guidance data may be provided to the user equipment on a television channel sideband, in the vertical blanking interval of a television channel, using an in-band digital signal, using an out-of-band digital signal, or by any other suitable data transmission technique. Program schedule data and other guidance data may be provided to user equipment on multiple analog or digital television channels. Program schedule data and other guidance data may be provided to the user equipment with any suitable frequency (e.g., continuously, daily, a user-specified period of time, a system-specified period of time, in response to a request from user equipment, etc.). In some approaches, guidance data from media guidance data source **418** may be provided to users' equipment using a client-server approach. For example, a guidance application client residing on the user's equipment may initiate sessions with source **418** to obtain guidance data when needed. Media guidance data source **418** may provide user equipment devices **402**, **404**, and **406** the media guidance application itself or software updates for the media guidance application.

Media guidance applications may be, for example, stand-alone applications implemented on user equipment devices. In other embodiments, media guidance applications may be client-server applications where only the client resides on the user equipment device. For example, media guidance applications may be implemented partially as a client application on control circuitry **304** of user equipment device **300** and partially on a remote server as a server application (e.g., media guidance data source **418**). The guidance application displays may be generated by the media guidance data source **418** and transmitted to the user equipment devices. The media guidance data source **418** may also transmit data for storage on the user equipment, which then generates the guidance application displays based on instructions processed by control circuitry.

Media guidance system **400** is intended to illustrate a number of approaches, or network configurations, by which user equipment devices and sources of media content and guidance data may communicate with each other for the purpose of accessing media and providing media guidance. The present invention may be applied in any one or a subset of these approaches, or in a system employing other approaches for delivering media and providing media guidance. The following three approaches provide specific illustrations of the generalized example of FIG. **4**.

In one approach, user equipment devices may communicate with each other within a home network. User equipment devices can communicate with each other directly via short-range point-to-point communication schemes describe above, via indirect paths through a hub or other similar device provided on a home network, or via communications network **414**. Each of the multiple individuals in a single home may operate different user equipment devices on the home network. As a result, it may be desirable for various media guidance information or settings to be communicated between the different user equipment devices. For example, it may be desirable for users to maintain consistent media guidance application settings on different user equipment devices within a home network, as described in greater detail in Ellis et al., U.S. patent application Ser. No. 11/179,410, filed Jul. 11, 2005. Different types of user equipment devices in a home network may also communicate with each other to transmit media content. For example, a user may transmit media content from user computer equipment to a portable video player or portable music player.

US 8,601,526 B2

13

In a second approach, users may have multiple types of user equipment by which they access media content and obtain media guidance. For example, some users may have home networks that are accessed by in-home and mobile devices. Users may control in-home devices via a media guidance application implemented on a remote device. For example, users may access an online media guidance application on a website via a personal computer at their office, or a mobile device such as a PDA or web-enabled mobile telephone. The user may set various settings (e.g., recordings, reminders, or other settings) on the online guidance application to control the user's in-home equipment. The online guide may control the user's equipment directly, or by communicating with a media guidance application on the user's in-home equipment. Various systems and methods for user equipment devices communicating, where the user equipment devices are in locations remote from each other, is discussed in, for example, Ellis et al., U.S. patent application Ser. No. 10/927,814, filed Aug. 26, 2004, which is hereby incorporated by reference herein in its entirety.

In a third approach, users of user equipment devices inside and outside a home can use their media guidance application to communicate directly with media content source **416** to access media content. Specifically, within a home, users of user television equipment **404** and user computer equipment **406** may access the media guidance application to navigate among and locate desirable media content. Users may also access the media guidance application outside of the home using wireless user communications devices **406** to navigate among and locate desirable media content.

FIG. 5 illustrates another exemplary system **500** that may be used to implement embodiments of the invention. System **500** may include television equipment **502** and several portable electronic devices **504**, **506**, **508**. As described in more detail below, media content, media guidance information, and other information may be received by one of the portable electronic devices **504-508** and then transmitted to the television equipment **502** for display.

An embodiment of the television equipment **502** may include control circuitry **510**, a display **512**, and possibly other equipment such as a DVD player or digital recorder. The control circuitry **510** receives media content from a source such as media content source **416** shown in FIG. 4 and media guidance data from a source such as media guidance data source **418** shown in FIG. 4. The control circuitry **510** may be the same as the control circuitry **304** described above and may be contained within a set-top box, an integrated receiver decoder (IRD), or other similar component. In some embodiments, the control circuitry **510** may be incorporated in the display **512**.

The display **512** is coupled with the control circuitry for displaying media content, media guidance data, and other information and data. The display may be a large-screen television or any other type of monitor, liquid crystal display (LCD), or other suitable device for displaying video. The display may include integral speakers or be coupled with external speakers.

The portable electronic devices **504**, **506**, **508** may be mobile phones, portable computers, portable game players, portable televisions, portable navigation devices, personal digital assistants, or any other type of portable electronic device capable of displaying video and communicating with other devices as described herein.

FIG. 6 illustrates selected components of the control circuitry **510** and one of the portable electronic devices **504** in more detail. The illustrated control circuitry **510** is a part of an integrated receiver decoder (IRD) for receiving UHF signals

14

from a terrestrial digital broadcasting service or satellite signals from a satellite media content provider. As mentioned above, the control circuitry **510** may also be incorporated in a cable TV set-top box, the display **512**, or any other device capable of receiving media content and media guidance data.

The exemplary control circuitry **510** illustrated in FIG. 6 includes a tuner **602** connected to a receiving antenna **604** for receiving UHF or satellite signals from a broadcasting source. The tuner **602** may be a digital tuner configured for receiving terrestrial digital broadcast signals such as a 12 seg receiver. Media guidance data may be embedded in the transport layer of broadcast media content signals or may be provided in separate signals. The tuner **602** delivers the signals to a decoder **606**, which decodes the signals and sends the audio/video portions to an A/V processor **608** and media guidance data portions to a media guidance data processor **610**. The A/V processor **608** processes the audio/video signals and delivers them to the display **512** and associated speakers. The media guidance data processor **610** processes the media guidance data signals and sends them to the A/V processor **608** for displaying corresponding media content listings or other data on the display **512**.

The exemplary control circuitry **510** also includes a communication component **612** and antenna **614** for communicating with the portable electronic device **504**. In an exemplary embodiment, the communication component **612** enables short-range point-to-point communications with USB cables, IEEE 1394 cables, Bluetooth® wireless protocols, infrared techniques, IEEE 802.11X LAN methods, or any other wired or wireless communication methods.

The control circuitry **510** also includes a decoder **616** for decoding data received at communication component **612** and a video processor **618** for transferring video signals received from the personal electronic device **504** to the A/V processor **608**.

The control circuitry **510** may also include an infrared port **620** or other communication port and input/output interface **622** for receiving control instructions from a remote control unit **624** such as a television remote control. Finally, the control circuitry **510** may also include media guidance application software **626**, RAM **628**, and ROM **630**.

The exemplary portable electronic device **504** shown in FIG. 6 is a television-enabled mobile phone. The device may include a digital tuner/receiver **632** such as a 1 seg tuner or similar device that receives terrestrial digital broadcasting signals through an antenna **634**. The signals are then decoded by a decoder **636** which transfers audio/video portions of the signals to an A/V processor **638** which in turn delivers them to a display **640** and speakers or earphones **642**. The device **504** may also include another receiver **644** such as a modem and an associated antenna **646** for communicating with a media guidance data source for receiving media guidance data. In an alternate embodiment, the functions of the tuner/receiver **632** and modem/receiver **644** may be performed by a single receiver that receives media content and media guidance data over a common signal.

The device **504** may also include RAM **648** and ROM **650** for storing the received media guidance data and other data. The device **504** may also include media guidance application software **652** designed for displaying media guidance data on small mobile electronic devices. The software is configured to display media content listings and other media guidance data on the screen of the device and to permit a user to perform selected media guidance application functions with the media guidance data. The media guidance application functions may be the same as, or a subset of, the media guidance application functions described above.

US 8,601,526 B2

15

The device **504** also includes a communication device **654** and antenna **656** for communicating with the control circuitry **510**. In an exemplary embodiment, the communication device **654** and antenna **656** enable short-range point-to-point communications with USB cables, IEEE 1394 cables, Bluetooth® wireless protocols, infrared techniques, IEEE 802.11X LAN methods, or any other wired or wireless communication methods.

The device **504** may also include an infrared port **658** and remote control unit (RCU) software **660** that enables the device to remotely control the television equipment **502**. The device **504** may also include control application software **662** for operation control, set-up application software **663** for set-up control, an audio/video application software **664** for audio/video output format selection or adjustment, a keyboard **666** for input/output operation I/O application software **668** necessary for input and output interface, and a common control bus **670**.

The above-described system **500** or other similar equipment or devices may be used to provide improved methods of displaying media content, media guidance information, and/or other information. In one example, an owner or user of portable electronic device **504** or any other portable electronic device may first enter and store certain user profile information into the device. For example, the user may type or otherwise enter his or her name, nickname, age, gender, address, hobbies, habits, favorite sports, favorite TV programs, and other identification and/or preference data with the keyboard **666** or other input device. This information may then be stored as user information in the ROM **650** or other memory. The user profile information may instead be entered into the television equipment **502** or other device and then transmitted to the portable electronic device via the components **644** or **654**.

The portable electronic device **504** may then be used to receive and watch media content such as television programs via the tuner/receiver **632**. To allow the user to more easily locate desired media content and perform desired media functions, media guidance data and other information may also be downloaded to the portable electronic device. Such media guidance data may be received via the tuner/receiver **632** or receiver **644** or may be first sent to the TV equipment control circuitry **510** and then wirelessly transmitted to the portable electronic device via the communication device **654**. The media guidance data downloaded to the portable electronic device is preferably scaled, parsed, or otherwise modified to accommodate the device's relatively smaller display screen.

Once media guidance data is received on one or more of the portable electronic devices, the data may be transmitted to and displayed on the display **512** of the television equipment **502**. To do so, a communication link is first established between one of the portable electronic devices and the control circuitry **510** television equipment. A user may establish a link by pressing a "Link" button or other button or function on his or her portable electronic device. The user's ID and possibly other information may then be transmitted from the user's portable electronic device to the control circuitry **510** to identify the particular portable electronic device and its user.

Once a communication link has been established and the portable electronic device has been identified, at least some of the media guidance data for the portable electronic device may be displayed on the display **512**. In one exemplary embodiment, this is done by transmitting the media guidance data from the portable electronic device to the control circuitry **510**. Specifically, media guidance data stored in RAM **648** or ROM **650** of the portable electronic device is trans-

16

mitted to the control circuitry where it is received by the decoder **616**. The decoder **616** extracts the media guidance data and sends it to the A/V processor **608** for display on the display screen **512**. The control circuitry may display the user's name or other ID, media content listings, a list of the user's favorite media content, a list of media content recorded by the user, or any other media guidance data or user information.

If the control circuitry **510** receives media guidance data from a portable electronic device that has not been set up with user information or other set-up information, it may only display the media guidance data for the device. The user may then enter user information or other set-up information while the media guidance data is displayed.

In another embodiment, the media guidance data for a portable electronic device may be stored in the control circuitry of the TV equipment rather than being transmitted from the portable electronic device. The media guidance data is retrieved and displayed on the display when the portable electronic device transmits user information or other start-up information to the control circuitry. For example, media guidance data for a portable electronic device identified by "XYZ" may be stored in the control circuitry and displayed when this portable electronic device establishes a communication link with the control circuitry.

The control circuitry **510** may also receive and display media guidance data or other information from several portable electronic devices at the same time. Scanning lines on the display **512** may be divided into several different areas, each of which is assigned to particular portable electronic devices or other devices. For example, as shown in FIG. 5, the display screen **512** may be divided into four display quadrants, with the upper right quadrant **514** being assigned to media content for the TV equipment **502** itself, the lower right quadrant **516** being assigned to media guidance data and/or media content for a first portable electronic device, the lower left quadrant **518** being assigned to media guidance data and/or media content for a second portable electronic device, and the upper left quadrant **520** being assigned to media guidance data and/or media content for a third portable electronic device. The four quadrants **514-520** are examples only, as the display screen **512** may be divided into any number of display areas limited only by the display's resolution.

Each quadrant or other screen area may be assigned to a user within a designated group such as a family. For example, the upper right quadrant **514** may be assigned to general family use for displaying media content and media guidance data received by the television equipment from a receiver or set-top box; the lower right quadrant **516** may be assigned to a father for receiving and displaying media content and/or media guidance data transmitted from the father's portable electronic device; the lower left quadrant **518** may be assigned to a mother for receiving and displaying media content and/or media guidance data transmitted from the mother's portable electronic device; and the upper left quadrant **520** may be assigned to a child for receiving and displaying media content and/or media guidance data transmitted from the child's portable electronic device.

The system **500** also permits several people to simultaneously watch their own media content or display their own media guidance data on the display without audio interference from other users. For example, the control circuitry **510** may simultaneously display three different media contents for three of the portable electronic devices as well as a media content for the TV equipment itself. The audio signals for the media contents of the portable electronic devices are not delivered to the large display's speakers but are instead trans-

US 8,601,526 B2

17

mitted to the speakers or earphones of the respective portable electronic devices. This permits the users to watch their personal media content and/or media guidance data on the large display while listening to any associated audio via their portable electronic device.

The system 500 also permits users of the portable electronic devices to share media guidance data. For example, a user of portable electronic device 504 may transmit media guidance data to the control circuitry 510 as described above. The user of another portable electronic device 506, or the user of portable electronic device 504, may then request that some or all of the media guidance data for portable electronic device 504 be transmitted from the control circuitry 510 to portable electronic device 506. This allows users to more easily share media guidance data such as lists of favorite programs, recommendations, reminders, etc.

The system 500 also permits users to use or edit their media guidance data, perform media guidance functions, and/or otherwise manipulate the media guidance data while it is displayed on the large display. The edited or otherwise altered media guidance data may then be transmitted back to the portable electronic device. This allows users to use, edit, or otherwise manipulate their media guidance data via the large display rather than the smaller displays of their portable electronic devices.

FIGS. 1, 5, 7, 8 and 9 illustrate display screens for an exemplary media guidance application function that may be performed on media guidance data for one of the portable electronic devices 504. Media guidance data is first transmitted from the portable electronic device 504 to the control circuitry 510. Alternatively, the data may be retrieved from memory of the control circuitry 510 upon receiving user information transmitted from the portable electronic device. A media guidance application at least partially implemented by the control circuitry 510 may use the media guidance data to display on the display 512 several media content listings such as those shown in FIG. 1.

The portable electronic device 504 may then be used to remotely control the control circuitry 510. For example, the user of the portable electronic device may select to record a media content represented by a listing by moving the highlight region 110 over the media content listing 108 and pressing a "Record" button on the portable electronic device.

The media guidance application may then present on the display 512 a record options overlay 700 such as the one illustrated in FIG. 7. The record options overlay 700 may display a Record Selected Episode selection 702 and a Record Series selection 704. If the user picks selections 702 or 704, the media guidance application schedules recording of a single episode or a series in a conventional manner.

The user may later select to view the recorded media content by issuing a playback command from his or her portable electronic device. In response, the media guidance application may display a list 800 of all recorded media content as illustrated in FIG. 8. Previously recorded media content 802 and 806 may be displayed, for example, at the beginning of the list and be accompanied by the time and date 804 and 808 of the recording. Media content 810 scheduled to be recorded in the future may be displayed next and may be accompanied by an icon 812 that indicates the media content is scheduled for recording.

The user may request play-back of a recorded media content by highlighting a media content listing in the display 800 and then pressing "Enter" or another command on the portable electronic device. In response to the user request, the media guidance application issues a play-back request to either the local storage device 308 or a remote storage device.

18

The play-back request may include an identifier for the media content that the user wishes to play back and an identifier of the user. The play-back request may also include a pointer to a media directory on the local or remote storage device. The local or remote storage device then retrieves the requested media content and provides it to the user equipment device 300 as a suitable signal such as an NTSC video signal or an MPEG-2 video signal. The media content may be transferred to the user equipment device 300 in real time or in a compressed form such as a compressed video file.

The user may request deletion of a previously recorded media content by, for example, highlighting one of the media content listings in FIG. 8 and then pressing a "Delete" button on the portable electronic device. In response, the media guidance application may permit deleting of a single episode and deleting of an entire series.

A user of one of the portable electronic devices may also obtain media content recommendations via the control circuitry 510. FIG. 9 illustrates an exemplary recommendations overlay 902 that may be displayed on the display 512 or otherwise conveyed to a user. The recommendations may be displayed only upon request, such as when the user operates his or her portable electronic device to request recommendations, or may be displayed automatically, for example when a user first establishes a communication link between his or her portable electronic device and the control circuitry 510. The recommendations overlay 902 may include a number of media content listings 904, 906, and 908 for recommended media content. A user may highlight any of the selections with the portable electronic device and then press "Enter" or other command on the portable electronic device to initiate a media guidance application function such as recording the media content, setting a reminder for the media content, or tuning the user equipment to the appropriate channel.

Each of the display screens in FIGS. 1, 2, and 7-9 may include a number of panel advertisements and banner advertisements. The size, shape, and location of the advertisements may be altered without departing from the spirit of the invention, and more or less advertisements than those shown may be displayed, if desired. The display screens of FIGS. 1, 2, and 7-9 are merely illustrative and may be replaced with any suitable display screen arrangements.

The system 500 also permits game players to display and play electronic games on the display 512 while other media content and/or media guidance data is displayed on other portions of the display. To do so, a user of a portable game player first establishes a communication link with the TV equipment as explained above. The control circuitry 510 recognizes the user information and identifies the device as a game player. The control circuitry may then follow protocols unique to portable game players. For example, the control circuitry may be configured so as not to suspend or otherwise interrupt an in-progress game with media content, media content alerts, etc. If a media content is scheduled for display while a game is being played on the display 512, the control circuitry 510 may display the media content and/or alert in a separate segment of the display so that the game player may continue playing the game without interruption.

The system 500 may also allow a portable electronic device user to more conveniently participate in a call-in program or game show. Most call-in programs or game shows require users to enter their names, ages, genders, addresses, telephone numbers, e-mail addresses, and other personal information. Entering all of this information with a portable electronic device is time-consuming and cumbersome. With the present invention, the user information entered during set-up of a portable electronic device as described above may be

US 8,601,526 B2

19

transmitted from the portable electronic device to the TV equipment and used for entry into a call-in program or game show.

FIG. 10 shows an exemplary process 1000 for displaying media content and media guidance information in accordance with an exemplary embodiment of the invention. The particular order of the steps illustrated in FIG. 10 and described herein can be altered without departing from the scope of the invention. For example, some of the illustrated steps may be reversed, combined, or even removed entirely. At step 1002, one of the portable electronic devices receives media guidance information such as media guidance listings and/or other data. As discussed above, the portable electronic device may receive the media guidance information directly via its tuner/receiver 632 or receiver 644 or indirectly via the TV equipment.

At step 1004, the portable electronic device transmits at least some of the media guidance information to the control circuitry 510. Alternatively, the portable electronic device may only transmit certain user information or set-up information to the TV equipment and the TV equipment may retrieve the media guidance information for the portable electronic device from memory.

At step 1006, at least some of the media guidance information for the portable electronic device is displayed on the display 512. As discussed above, the media guidance information may be displayed on a segment of the display such as a quadrant of the display.

At step 1008, other information such as media content or media guidance information for other portable electronic devices or the TV equipment itself is displayed on the display 512 alongside the media guidance information for the portable electronic device.

FIG. 11 shows another exemplary process 1100 for displaying media content and media guidance information. The particular order of the steps illustrated in FIG. 11 and described herein can be altered without departing from the scope of the invention. For example, some of the illustrated steps may be reversed, combined, or even removed entirely.

At step 1102, a first one of the portable electronic devices receives media guidance information such as media guidance listings and/or other data. The first portable electronic device may receive the media guidance information in any of the ways discussed above.

At step 1104, the first portable electronic device transmits at least some of the media guidance information to the control circuitry 510. Alternatively, the first portable electronic device may only transmit user information or set-up information to the control circuitry and the control circuitry may retrieve the media guidance information from memory as described in more detail above.

At step 1106, at least some of the media guidance information for the first portable electronic device is displayed on the display 512. As discussed above, the media guidance information may be displayed on a quadrant or other segment of the display.

At step 1108, a second one of the portable electronic devices receives media guidance information such as media guidance listings and/or other data.

At step 1110, the second portable electronic device transmits at least some of the media guidance information to the control circuitry of the TV equipment. Alternatively, the second portable electronic device may only transmit user information or set-up information to the control circuitry and the control circuitry may retrieve the media guidance information from memory.

20

At step 1112, at least some of the media guidance information for the second portable electronic device is displayed on the display 512. As discussed above, the media guidance information may be displayed on a quadrant or other segment of the display.

FIG. 12 shows another exemplary process 1200 for displaying media content and media guidance information. The particular order of the steps illustrated in FIG. 12 and described herein can be altered without departing from the scope of the invention. For example, some of the illustrated steps may be reversed, combined, or even removed entirely.

At step 1202, one of the portable electronic devices receives media guidance information such as media guidance listings and/or other data.

At step 1204, the portable electronic device transmits at least some of the media guidance information to the control circuitry of the TV equipment. Alternatively, the portable electronic device may only transmit certain user information or set-up information to the control circuitry and the control circuitry may retrieve the media guidance information for the portable electronic device from memory.

At step 1206, at least some of the media guidance information for the portable electronic device is displayed on the large display. As discussed above, the media guidance information may be displayed on a quadrant or other segment of the display.

At step 1208, a user of the portable electronic device may perform a media guidance application function with the media guidance information while it is displayed on the large display. For example, the user may use the media guidance information to navigate through the media content accessible by the portable electronic device, search for desired content, schedule a selected content to be recorded, record the selected content to a local storage device or remote media server, add the selected content to a favorite programs list, set a reminder for the selected content, order the selected content via an on-demand (e.g., video on-demand or VOD) or pay-per-view (PPV) service, or any other suitable function.

At step 1210, the media guidance information is then transmitted from the control circuitry back to the portable electronic device or to a different portable electronic device.

Although the invention has been described with reference to preferred embodiments illustrated and discussed herein, equivalents may be employed and substitutions made herein without departing from the scope of the invention as recited in the claims. For example, it will be appreciated that while the discussion of media content has focused on video content such as television programs, the principles of the present invention can be applied to other types of media content, such as music, images, etc. Moreover, the user equipment 300, system 400, and system 500 described and illustrated herein, as well as the individual components of the user equipment 300 and systems 400 and 500, are merely examples of systems, devices, and components that may be used to implement embodiments of the present invention and may be replaced with other systems, devices, and components without departing from the scope of the invention.

Having thus described the preferred embodiment of the invention, what is claimed as new and desired to be protected by Letter Patent includes the following:

1. A method for displaying media guidance information, the method comprising:
 - receiving media guidance information with a first portable electronic device;
 - establishing a communication link between the first portable electronic device and control circuitry coupled with a display;

US 8,601,526 B2

21

transmitting at least some of the media guidance information from the first portable electronic device to the control circuitry via the communication link, wherein the media guidance information received by the control circuitry from the first portable electronic device is simultaneously displayed, with the display coupled to the control circuitry, with media content or media guidance information received by the control circuitry from a source other than the first portable electronic device; and receiving an indication with the first portable electronic device that the media guidance information displayed on the display coupled to the control circuitry has been manipulated.

2. The method as set forth in claim 1, further comprising: receiving media guidance information with a second portable electronic device; transmitting at least some of the media guidance information from the second portable electronic device to the control circuitry; and displaying the media guidance information from the second portable electronic device on the display alongside the media guidance information from the first portable electronic device.

3. The method as set forth in claim 2, further comprising the step of transmitting from the control circuitry at least some of the media guidance information received from the first portable electronic device to the second portable electronic device.

4. The method as set forth in claim 2, wherein the first and second portable electronic devices are mobile phones, portable computers, portable game players, portable navigation devices, portable televisions, or personal digital assistants.

5. The method as set forth in claim 1, further comprising: receiving media guidance information at the control circuitry from a satellite or cable television provider; and displaying the media guidance information received from the satellite or cable television provider on the display alongside the media guidance information transmitted from the first portable electronic device.

6. The method as set forth in claim 1, further comprising: performing a media guidance application function with the media guidance information transmitted from the first portable electronic device while the media guidance information is displayed on the display; and after the media guidance application is performed, transmitting at least some of the media guidance information back to the first portable electronic device.

7. The method as set forth in claim 6, wherein the media guidance application function includes entering user information, searching for a desired media content, scheduling a selected media content for recording, recording a selected media content, deleting a previously recorded media content, adding a selected media content to a favorite media content list, setting a reminder for a selected media content, or ordering a selected media content via an on-demand or pay-per-view service.

8. The method as set forth in claim 1, wherein the display is a television and the control circuitry is contained within a set-top box coupled with the television.

9. The method as set forth in claim 1, wherein the control circuitry is contained within the display.

10. The method as set forth in claim 1, wherein the control circuitry executes an interactive media guidance application.

11. A system for displaying media guidance information, the system comprising:
user equipment including

22

control circuitry for receiving media content from a media content source and media guidance information from a media guidance source, and
a display coupled with the control circuitry for simultaneously displaying the media content and the media guidance information; and
a first portable electronic device including
a receiver for receiving media content from a media content source and media guidance information from a media guidance source,
a receiver for receiving an indication that the media guidance information displayed on the display coupled to the control circuitry has been manipulated, and
a communication device for:
establishing a communication link between the first portable electronic device and the user equipment, and
transmitting at least some of the media guidance information to the user equipment via the communication link for display on the display.

12. The system as set forth in claim 11, wherein the display is a television.

13. The system as set forth in claim 11, wherein the receiver includes a digital receiver for receiving the media content from a mobile terrestrial digital broadcasting service.

14. The system as set forth in claim 13, wherein the receiver includes a separate wireless mobile phone receiver for receiving the media guidance information from a phone network.

15. The system as set forth in claim 11, wherein the receiver is a single receiver that receives the media content and the media guidance information from a common signal.

16. The system as set forth in claim 11, wherein the communication device is a wireless local area network (LAN) transmitter or transceiver.

17. The system as set forth in claim 11, further comprising:
a second portable electronic device including: a first receiver for receiving media content from a media content source; a second receiver for receiving media guidance information from a media guidance source; and a communication device for transmitting at least some of the media guidance information to the user equipment for display on the display alongside the media guidance information from the first portable electronic device.

18. The system as set forth in claim 17, wherein the first and second portable electronic devices are mobile phones, portable computers, portable game players, portable navigation devices, portable televisions, or personal digital assistants.

19. The system as set forth in claim 11, wherein the first portable electronic device is operable for performing a media guidance application function with the media guidance information while the media guidance information is displayed on the display.

20. The system as set forth in claim 19, wherein the media guidance application function includes entering user information, searching for a desired media content, scheduling a selected media content for recording, recording a selected media content, deleting a previously recorded media content, adding a selected media content to a favorite media content list, setting a reminder for a selected media content, or ordering a selected media content via an on-demand or pay-per-view service.

21. The system as set forth in claim 11, wherein the display is a television and the control circuitry is contained within a set-top box coupled with the television.

22. The system as set forth in claim 11, wherein the control circuitry is contained within the display.

US 8,601,526 B2

23

23. The system as set forth in claim 11, wherein the control circuitry executes an interactive media guidance application.

24. A system for displaying media guidance information, the system comprising:

means for receiving media guidance information with a first portable electronic device;

means for establishing a communication link between the first portable electronic device and control circuitry coupled with a display;

means for transmitting at least some of the media guidance information from the first portable electronic device to the control circuitry via the communication link, wherein the media guidance information received by the control circuitry from the first portable electronic device is simultaneously displayed, with the display coupled to the control circuitry, with media content or media guidance information received by the control circuitry from a source other than the first portable electronic device; and

means for receiving an indication with the first portable electronic device that the media guidance information displayed on the display coupled to the control circuitry has been manipulated.

25. The system as set forth in claim 24 further comprising:

means for receiving media guidance information with a second portable electronic device;

means for transmitting at least some of the media guidance information from the second portable electronic device to the control circuitry; and

means for displaying the media guidance information from the second portable electronic device on the display alongside the media guidance information from the first portable electronic device.

26. The system as set forth in claim 25, further comprising means for transmitting from the control circuitry at least some of the media guidance information received from the first portable electronic device to the second portable electronic device.

24

27. The system as set forth in claim 25, wherein the first and second portable electronic devices are mobile phones, portable computers, portable game players, portable navigation devices, portable televisions, or portable digital assistants.

28. The system as set forth in claim 24, further comprising:

means for receiving media guidance information at the control circuitry from a satellite or cable television provider; and

means for displaying the media guidance information received from the satellite or cable television provider on the display alongside the media guidance information transmitted from the first portable electronic device.

29. The system as set forth in claim 24, further comprising:

means for performing a media guidance application function with the media guidance information transmitted from the first portable electronic device while the media guidance information is displayed on the display; and

means for transmitting at least some of the media guidance information back to the first portable electronic device after the media guidance application is performed.

30. The system as set forth in claim 29, wherein the media guidance application function includes entering user information, searching for a desired media content, scheduling a selected media content for recording, recording a selected media content, deleting a previously recorded media content, adding a selected media content to a favorite media content list, setting a reminder for a selected media content, or ordering a selected media content via an on-demand or pay-per-view service.

31. The system as set forth in claim 24, wherein the display is a television and the control circuitry is contained within a set-top box coupled with the television.

32. The system as set forth in claim 24, wherein the control circuitry is contained within the display.

33. The system as set forth in claim 24, wherein the control circuitry executes an interactive media guidance application.

* * * * *

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 8,601,526 B2
APPLICATION NO. : 12/144434
DATED : December 3, 2013
INVENTOR(S) : Nishimura et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page:

The first or sole Notice should read --

Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b)
by 392 days.

Signed and Sealed this
Twenty-fourth Day of March, 2015

A handwritten signature in black ink, reading "Michelle K. Lee". The signature is fluid and cursive, with the first letters of each name being capitalized and prominent.

Michelle K. Lee
Director of the United States Patent and Trademark Office